


Bracing Instructions


(BB1 Standard type)

10.23


Parts Supplied.




FRONT Panel.




Measure from inside of glass to back wall (X). Remove wall bracket, & with clamping mechanism pushed fully into bar, cut bracing bar at wall end ONLY, to :






If necessary, swap rubber gasket to suit glass (8mm / 10mm) thickness.

1. Place wall bracket onto cut end of bracing bar.
2. Using wall bracket as a guide, mark top hole position, remove bracket & drill through top section only with 3,5mm drill bit.





3. Loosely refit wall bracket & offer entire bracing bar into position on glass. Ensure bar is level, & mark bracket position on wall. Remove bracing bar.




4. Offer bracket to marked position on wall. Mark & drill wall with 6mm tile/masonry bit. Fit wall plug & affix bracket to wall.

5. Carefully insert bar end into wall bracket & fit clamp end onto glass.
6. Affix bar to wall bracket with 3mm CSK screw.





7. Using ball end, locate key in socket screw & tighten clamp as shown.


SIDE Panel.




After fitting front to back bracing, measure from fitted bar to inside of side panel glass (X). Remove wall bracket, & with clamping mechanism pushed fully into bar, cut bracing bar to :



1. Place wall bracket onto cut end of bracing bar.
2. Using wall bracket as a guide, mark top hole position, remove bracket & drill through top section only with 3,5mm drill bit.





3. Offer 90° joining bracket to fixed bracing bar as shown. Mark hole position & drill with 3mm bit.



4. Fix 90° joining bracket & wall bracket to bracing arm with 3.5 x 16mm self tapping screw.

5. Carefully insert bar end into bracket & fit clamp end onto side panel glass.

6. Affix bar to wall bracket with 3mm CSK screw.



7. Using ball end, locate key in socket screw & tighten clamp as shown.