

Product Data : Config 12 – Corner, 270° full height Deflector & Side Panel.



Silver




Carbon ⁺
Neutral
Organisation



Lakes Showering Spaces Ltd. GL20 8NB Tel 01684 853870 www.lakeshoweringspaces.com

General email : info@lakeshoweringspaces.com Specification email : projects@lakeshoweringspaces.com



| GLASS Nom. | Front Panel W |
|------------|---------------|
| 200 | 230 - 250 |
| 300 | 330 - 350 |
| 400 | 430 - 450 |
| 500 | 530 - 550 |
| 600 | 630 - 650 |
| 700 | 690 - 710 |
| 800 | 790 - 810 |
| 900 | 890 - 910 |
| 1000 | 990 - 1010 |
| 1100 | 1090 - 1110 |
| 1200 | 1190 - 1210 |
| 1400 | 1390 - 1410 |

| GLASS Nom. | Side Panel X |
|------------|--------------|
| 200 | 200 - 220 |
| 300 | 300 - 320 |
| 400 | 400 - 420 |
| 500 | 500 - 520 |
| 600 | 600 - 620 |
| 700 | 660 - 680 |
| 800 | 760 - 780 |
| 900 | 860 - 880 |
| 1000 | 960 - 980 |
| 1100 | 1060 - 1080 |
| 1200 | 1160 - 1180 |
| 1400 | 1360 - 1380 |

| BY* | Deflector B |
|-----|-------------|
| 030 | 305 |

- Frameless design. 8 and 10mm toughened safety glass.
- UKCA (CE) marked : conforms with : BS EN 14428. (& BS EN 12150-1).
- 2000mm height (max over bracing etc).
- Fully reversible.
- AllClear® easy clean coating applied to both sides of glass.
- 20mm wall plumb adjustment.
- Anodised aluminium profiles/bracing bars in a choice of 6 colours.
- Die cast & PVD coated zinc hardware (clamps, bracketry, hinges).
- Suitable for open wall installation on a shower tray or tiled floor.
- Bracing bars are supplied 1200mm long, for cutting to size at installation.
- Bracing bars are supplied with 90° T Joiner where appropriate (BB1).
- Full height Deflector panel features 90° outward & 180° inward rotation

Quality guarantee: Shower doors and enclosures are guaranteed against any manufacturing or material defects for the lifetime of the product. Defects will be resolved free of charge by replacing parts we feel necessary.

To be free of charge, work must be carried out by Lakes engineers / authorised engineers only.

Not covered on this guarantee:

Damage or defects that result from improper installation, improper use, or lack of maintenance (including limescale build up).

Damage or defects that result from repairs or modifications undertaken by unauthorized persons.


This guarantee is in addition to statutory and other legal rights.

ORDERING:

Select Glass 8 or 10mm x 2 pieces (* undersized to ensure fit within tray width/length, & to accommodate bracing bar within max unit height 2000mm).


| WIDTH Nom. (mm) | Glass Dimensions (mm) * | 8mm GLASS | 10mm GLASS |
|-----------------|-------------------------|-----------|------------|
| 200 | 190 x 1981 | G8-020 | G10-020 |
| 300 | 290 x 1981 | G8-030 | G10-030 |
| 400 | 390 x 1981 | G8-040 | G10-040 |
| 500 | 490 x 1981 | G8-050 | G10-050 |
| 600 | 590 x 1981 | G8-060 | G10-060 |
| 700 | 652 x 1981 | G8-070 | G10-070 |
| 800 | 752 x 1981 | G8-080 | G10-080 |
| 900 | 852 x 1981 | G8-090 | G10-090 |
| 1000 | 952 x 1981 | G8-100 | G10-100 |
| 1100 | 1052 x 1981 | G8-110 | G10-110 |
| 1200 | 1152 x 1981 | G8-120 | G10-120 |
| 1400 | 1352 x 1981 | G8-140 | n/a |

Select Colour :



Select Hardware :

| Description | Qty | Silver | Black | Br. Brass | Br. Nickel | Br. Bronze | Gun Metal |
|--------------|-----|--------|-------|-----------|------------|------------|-----------|
| Wall Profile | 2 | WPSS | WPSB | WPSBRS | WPSN | WPSBRZ | WPSGUN |
| Bracing Bar | 2 | BB1S | BB1B | BB1BRS | BB1N | BB1BRZ | BB1GUN |



BY



Full Height 270° Deflector Assy (8 or 10mm)

| Description | Qty | Silver | Black | Br. Brass | Br. Nickel | Br. Bronze | Gun Metal |
|----------------|-----|--------|-------|-----------|------------|------------|-----------|
| 8mm Deflector | 1 | BY8S | BY8B | BY8BRS | BY8N | BY8BRZ | BY8GUN |
| or | | | | | | | |
| 10mm Deflector | 1 | BY10S | BY10B | BY10BRS | BY10N | BY10BRZ | BY10GUN |

ORDER : Presumption is glass thickness & colour will be consistent throughout.
Please tick as appropriate, size your glasses & we'll take care of item codes.

8mm GLASS 10mm GLASS

COLOUR

Silver
 Black
 Brushed Brass
 Brushed Nickel
 Brushed Bronze
 Gun Metal

If further tailoring is wished, please complete tables below, & we will check suitability before confirming your request.

8mm GLASS SPECIFIC

| 8mm GLASS # | 8mm prefix | Width code | Qty |
|-------------|------------|------------|-----|
| 1 | G8- | | 1 |
| 2 | G8- | | 1 |

10mm GLASS SPECIFIC

| 10mm GLASS # | 10mm prefix | Width code | Qty |
|--------------|-------------|------------|-----|
| 1 | G10- | | 1 |
| 2 | G10- | | 1 |

| Description | 8mm prefix | Colour suffix | Qty |
|-------------------------------------|------------|---------------|-----|
| 8mm full height 270° Deflector Assy | BY8- | | 1 |

| Description | 10mm prefix | Colour suffix | Qty |
|--------------------------------------|-------------|---------------|-----|
| 10mm full height 270° Deflector Assy | BY10- | | 1 |

AND UNIVERSAL ITEMS

| Description | Prefix | Colour suffix | Qty |
|--------------|--------|---------------|-----|
| Wall Profile | WPS | | 2 |
| Bracing Bar | BB1 | | 2 |

OPTIONALLY : Bracing Bars BB1 may be substituted for

| Description | Prefix | Colour suffix | remarks |
|------------------------|-----------|---------------|-----------------|
| Glass to Ceiling Brace | G2C + 2CB | | |
| Floor to Ceiling Brace | F2C + 2CB | | side panel only |
| Angled Bracing Bar | AB | | |