

Product Data : Config 19 – Corner / Alcove, no Deflector & Floor to Ceiling Brace.




Brushed Nickel



Carbon ⁺
Neutral
Organisation





GLASS Nom.	Front Panel W
200	218 - 238
300	318 - 338
400	418 - 438
500	518 - 538
600	618 - 638
700	678 - 698
800	778 - 798
900	878 - 898
1000	978 - 998
1100	1078 - 1098
1200	1178 - 1198
1400	1378 - 1398

- Frameless design. 8 and 10mm toughened safety glass.
- UKCA (CE) marked : conforms with : BS EN 14428. (& BS EN 12150-1).
- 2000mm height (max over wall profiles) 2600mm max floor to ceiling.
- Fully reversible.
- AllClear® easy clean coating applied to both sides of glass.
- 20mm wall plumb adjustment.
- Anodised aluminium profiles/bracing bars in a choice of 6 colours.
- Die cast & PVD coated zinc hardware (clamps, bracketry, hinges).
- Suitable for corner or alcove installation on a shower tray or tiled floor.
- Floor to Ceiling Post (F2C) supplied 2600mm long, for cutting to size at installation. Provide excellent support, high visibility & graspable (hand hold).

Quality guarantee: Shower doors and enclosures are guaranteed against any manufacturing or material defects for the lifetime of the product. Defects will be resolved free of charge by replacing parts we feel necessary.

To be free of charge, work must be carried out by Lakes engineers / authorised engineers only.

Not covered on this guarantee:

Damage or defects that result from improper installation, improper use, or lack of maintenance (including limescale build up).

Damage or defects that result from repairs or modifications undertaken by unauthorized persons.


This guarantee is in addition to statutory and other legal rights.

ORDERING:

Select Glass 8 or 10mm x 1 piece (* undersized to ensure fit within tray width/length, & to accommodate bracing bar within max unit height 2000mm).

WIDTH Nom. (mm)	Glass Dimensions (mm) *	8mm GLASS	10mm GLASS
200	190 x 1981	G8-020	G10-020
300	290 x 1981	G8-030	G10-030
400	390 x 1981	G8-040	G10-040
500	490 x 1981	G8-050	G10-050
600	590 x 1981	G8-060	G10-060
700	652 x 1981	G8-070	G10-070
800	752 x 1981	G8-080	G10-080
900	852 x 1981	G8-090	G10-090
1000	952 x 1981	G8-100	G10-100
1100	1052 x 1981	G8-110	G10-110
1200	1152 x 1981	G8-120	G10-120
1400	1352 x 1981	G8-140	n/a

Select Colour :



Select Hardware :

Description	Qty	Silver	Black	Br. Brass	Br. Nickel	Br. Bronze	Gun Metal
Wall Profile	1	WPSS	WPSB	WPSBRS	WPSN	WPSBRZ	WPSGUN
Bracing Bar 8mm or	1	F2C8S	F2C8B	F2C8BRS	F2C8N	F2C8BRZ	F2C8GUN
Bracing Bar 10mm	1	F2C10S	F2C10B	F2C10BRS	F2C10N	F2C10BRZ	F2C10GUN
Ceiling Bracket	1	2CBS	2CBBS	2CBRS	2CBN	2CBBRZ	2CBGUN



ORDER : Presumption is glass thickness & colour will be consistent throughout.
Please tick as appropriate, size your glasses & we'll take care of item codes.

8mm GLASS 10mm GLASS

COLOUR

Silver
 Black
 Brushed Brass
 Brushed Nickel
 Brushed Bronze
 Gun Metal

If further tailoring is wished, please complete tables below, & we will check suitability before confirming your request.

8mm GLASS SPECIFIC

8mm GLASS #	8mm prefix	Width code	Qty
1	G8-		1

10mm GLASS SPECIFIC

10mm GLASS #	10mm prefix	Width code	Qty
1	G10-		1

Description	8mm prefix	Colour suffix	Qty
Floor to Ceiling Post 8mm	F2C8		1
Ceiling Bracket	2CB		1

Description	10mm prefix	Colour suffix	Qty
Floor to Ceiling Post 10mm	F2C10		1
Ceiling Bracket	2CB		1

AND UNIVERSAL ITEM

Description	Prefix	Colour suffix	Qty
Wall Profile	WPS		1

OPTIONALLY : Bracing Bar may be substituted for

Description	Prefix	Colour suffix
Glass to Ceiling Brace	G2C + 2CB	
Angled Bracing Bar	AB	