

Modular Walk In

Product Data: Config 20 – Corner / Alcove, no Deflector & Angle Brace.












Lakes Showering Spaces Ltd. GL20 8NB

Tel 01684 853870

www.lakesshoweringspaces.com



	GLASS	Front Panel
	Nom.	W
	200	200 - 220
	300	300 - 320
	400	400 - 420
	500	500 - 520
	600	600 - 620
	700	660 - 680
	800	760 - 780
	900	860 - 880
*	1000	960 - 980
	1100	1060 - 1080
	1200	1160 - 1180
	1400	1360 - 1380

recommended panel width limit when using Angle Brace AB.

- Frameless design. 8 and 10mm toughened safety glass.
- UKCA (CE) marked: conforms with: BS EN 14428. (& BS EN 12150-1).
- 2000mm height (max over bracing etc).
- Fully reversible.
- AllClear® easy clean coating applied to both sides of glass.
- 20mm wall plumb adjustment.
- Anodised aluminium profiles/bracing bars in a choice of 6 colours.
- Die cast & PVD coated zinc hardware (clamps, bracketry, hinges).
- Suitable for corner or alcove installation on a shower tray or tiled floor.
- Bracing bar is nominally for use at 45°, but has range from approx. 30° to 60° for versatility (shower head/riser avoidance).
- * It is recommended to limit panel width to 1000mm when using Angle Brace AB for stability reasons*.

Quality guarantee: Shower doors and enclosures are guaranteed against any manufacturing or material defects for the lifetime of the product. Defects will be resolved free of charge by replacing parts we feel necessary.

To be free of charge, work must be carried out by Lakes engineers / authorised engineers only.

Not covered on this guarantee:

Damage or defects that result from improper installation, improper use, or lack of maintenance (including limescale build up).

Damage or defects that result from repairs or modifications undertaken by unauthorized persons.

This guarantee is in addition to statutory and other legal rights.

ORDERING:

Select Glass 8 or $10mm \times 1$ piece (* undersized to ensure fit within tray width/length, & to accommodate bracing bar within max unit height 2000mm).


WIDTH Nom.	Glass Dimensions		
(mm)	(mm) *	8mm GLASS	10mm GLASS
200	190 x 1981	G8-020	G10-020
300	290 x 1981	G8-030	G10-030
400	390 x 1981	G8-040	G10-040
500	490 x 1981	G8-050	G10-050
600	590 x 1981	G8-060	G10-060
700	652 x 1981	G8-070	G10-070
800	752 x 1981	G8-080	G10-080
900	852 x 1981	G8-090	G10-090
1000	952 x 1981	G8-100	G10-100
1100	1052 x 1981	G8-110	G10-110
1200	1152 x 1981	G8-120	G10-120
1400	1352 x 1981	G8-140	n/a

Select Colour:



Select Hardware:

Description	Qty	Silver	Black	Br. Brass	Br. Nickel	Br. Bronze	Gun Metal
Wall Profile	1	WPSS	WPSB	WPSBRS	WPSN	WPSBRZ	WPSGUN
Bracing Bar	1	ABS	ABB	ABBRS	ABN	ABBRZ	ABGUN



ORDER : Presumption is glass thickness & colour will be consistent throughout. Please tick as appropriate, size your glasses & we'll take care of item codes.					
Bmm GLASS 10mm GLASS					
COLOUR					
Silver Black Brushed Brass Brushed Nickel Brushed Bronze Gun Metal					

If further tailoring is wished, please complete tables below, & we will check suitability before confirming your request.

8mm GLASS SPECIFIC

10mm GLASS SPECIFIC

8mm GLASS #	8mm prefix	Width code	Qty
1	G8-		1

10mm GLASS #	10mm prefix	Width code	Qty
1	G10-		1

AND UNIVERSAL ITEMS

Description	Prefix	Colour suffix	Qty
Wall Profile	WPS		1
Angled Bracing Bar	AB		1

OPTIONALLY: Bracing Bar may be substituted for

Description	Prefix	Colour suffix
Glass to Ceiling Brace	G2C + 2CB	
Floor to Ceiling Brace	F2C + 2CB	