



MODULAR WALK-IN

SPRING 2026

LAKES MODULAR WALK-IN



Lakes Showering Spaces is one of the UK's longest established and most respected showering brands with a rich history and pedigree, having been founded almost 40 years ago.

In that time, award-winning Lakes has built an enviable reputation based on quality, trust and first-class customer service.

Right down to the finest and often unseen details, all our shower doors are skilfully designed in the UK for the British market and manufactured to the highest quality standards in our very own factory.

At Lakes, we consider every element of the showering space to ensure it meets the needs and demands of the people using it, from the clarity of the glass to the performance of the doors and even the reassuring feel of the tray under your feet.

CONTENTS

Why Choose a Walk-In Shower?	08
Bracing Bar Solutions	10
Profile, Corner & Seal Solutions	11
Fully Framed & Accent Framed Panels	12
Deflector Panel Solutions	13
Walk-In Shower Configurations	14
A Guide to Personalising your Shower Space	16



And we are so confident in the outstanding quality of our products, we cover them all with a Lifetime Guarantee.

Our huge range of walk-in showers has been designed to provide the perfect sanctuary and ultimate showering experience, while our unrivalled Modular Walk-In collection now includes even more opportunities to customise your showering space.

Thanks to our intelligent designs and market leading engineering, our Modular Walk-In range provides 28 core showering configurations and six colour finishes to choose from, as well as even more innovative solutions from full or vertical framed options, to recessed wall and floor profiles, to help you create a fully personalised bathroom of your dreams.

MODULAR WALK-IN SYSTEMS

Flat Wall 3-Sided Wetroom without Deflector Panels	18
Flat Wall 3-Sided Wetrooms with Deflector Panels	22
Corner Wetroom without Deflector Panels	28
Corner Wetrooms with Deflector Panels	32
Wetroom Panel without Deflector Panels	38
Wetroom Panel with Deflector Panels	42
Walk Through Wetrooms with or without Deflector Panels	46
Walk-In Panel Fully Framed	52
Walk-In Panel Accent Framed	56
Walk-In Panel Recessed Profile	60
Luxury 8mm Bath Screens	64
Stone Texture Shower Trays	70
Stone Resin Trays	74
Walk-In Panel Complete Kits	76
Product Care	80
Lakes Guarantee	81

PERSONALISE YOUR
SHOWERING SPACE



SUSTAINABLE

Lakes is the first bathroom manufacturer in the world to have achieved B Corp certification.

Lakes is a purpose driven business, setting high standards for impact on our customers, workers, supply chain and the environment.


Certified




Carbon
Neutral
Organisation

Corporation


ICONS



8mm
TOUGHENED
SAFETY GLASS



10mm
TOUGHENED
SAFETY GLASS



2000mm
HEIGHT



ALLCLEAR
GLASS
PROTECTION



WET ROOM
OR TRAY
OPTION



LIFETIME
GUARANTEE




FOR AN ALCOVE
SPACE




FOR A CORNER
SPACE



FOR A STRAIGHT,
OPEN SPACE



REVERSIBLE
DESIGN



SLIP RESISTANT



We are proud members of the **Bathroom Association** and collaborate with many other fellow companies to raise quality standards, improve safety, compliance and sustainability by reducing our environmental impact – all helping to shape the future growth of our industry and showering product sector.

4.8



Excellent



Loyal, regular customers as well as those buying a Lakes product for the first time agree our products are 'excellent'. Lakes rating published via **Trust Pilot** is Excellent.

LIFETIME GUARANTEE

Showers and bath screens are important and integral elements of any bathroom space. When it comes to transforming your space, it helps to know your choice is supported by the highest quality assurance, customer service and technical support.

Our genuine **Lifetime Guarantee** covers all of our shower doors, enclosures and spare parts, while also being fully transferable. So, even if someone moves home, the new owner will still be covered for the lifetime of the product.

We guarantee that if you have a problem with any part of a Lakes product, we will sort it, quickly. We pride ourselves on efficiency and excellent customer service, so it's likely your spare parts will arrive the next day. That's just another reason why we're recommended by homeowners, showrooms, stockists and installers across the UK.



LAKES ALLCLEAR®

The shower is often one of the most in-demand utilities in a busy household, which can make it hard to keep clean and looking as good as new.

Lakes AllClear® advanced glass coating is applied on both sides of the glass as standard and at no extra cost. Let's take a look at the science behind clear glass: The microscopic nanoparticles in the Lakes AllClear® innovative bonded coating fills the gaps in the naturally pitted surface of the glass to ensure water, limescale and soap scum simply slides off.

A simple wipe clean with a damp cloth of the specially treated glass keeps it looking like new, so your relaxing shower isn't spoiled by smears and smudges.

Lakes Glass with AllClear® is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.

AllClear®


THE COLOUR IMPACT

To provide the ultimate in bathroom personalisation Lakes has carefully developed a collection of beautiful colour finishes for all metallic parts to suit individual tastes and complement any bathroom design scheme.

Timeless silver/chrome, dramatic and bold black, subtle industrial brushed nickel and gun metal or the natural warmth of brushed brass or bronze will assist as you personalise the bathroom design.

Whichever colour finish you opt for we are confident you'll achieve a great coordinating look with any number of brassware and accessory brands available. All colours are produced to the most exacting production and quality standards, featuring super strong surfaces using anodising or PVD that are easy to clean, and are stain, UV, chemical and scratch resistant..

Taps and shower valves shown in this brochure are produced by JTP, one of the UK's leading brassware brands. Please visit: www.jtpuk.com



QUALITY

At Lakes, we guarantee outstanding quality, performance and safety throughout. Lakes also regularly tests products above and beyond mandatory standards, allowing us to offer our no-quibble Lifetime Guarantee.

Made from toughened safety glass, conforming to BS EN12150-1 (which is etched onto each piece of glass), every shower door and bath screen is tested to comply with BS EN 14428:2015+A1:2018.

All shower trays pass the required quality and safety standards BS EN14527:2006 Class1/BS EN15720:2009, and our slip resistant trays achieve Class 3 UNE ENV 12633:2003



WHY CHOOSE A WALK-IN SHOWER?



What is the appeal of upgrading to or specifying a walk-in shower enclosure?

STREAMLINED STYLE & SPACIOUS

A walk-in shower is the ideal bath replacement, elevating its aesthetic appeal.

The virtually seamless design creates a look that is timeless, contemporary, and effortlessly deluxe. Say goodbye to the restriction of traditional doors and curtains; walk-in showers introduce a sense of openness, making your entire bathroom appear larger and airier.

NATURAL LIGHT & SPA-LIKE EXPERIENCE

The open design allows maximum natural light to flow into the showering area, brightening the entire room.

Our walk-ins effortlessly transform your daily routine into a spa-like retreat. The clear glass enhances the overall feel, creating a genuinely calm, luxurious, and relaxing atmosphere.

SUSTAINABLE

Walk-in showers use less metal and less packaging and naturally require less cleaning. With far fewer moving parts, they suffer less from wear and tear and the need for spare parts. Best of all, all components are fully recyclable.

PERSONALISATION & EASY MAINTENANCE

Regardless of your bathroom's style—modern, classic, or contemporary—walk-in glass panels will complement virtually any décor.

Better yet, cleaning couldn't be simpler. Say goodbye to nooks and crannies where mould, mildew, or grime typically hide. A quick daily wipe-down is all it takes to keep your shower area shining like new.

DURABLE & FUTURE PROOF

Designed and engineered in the UK, our Modular Walk In collection is truly built to last. The absence of large frames reduces the risk of visual deterioration from limescale and wear, a quality backed by the Lakes Lifetime Guarantee.

A walk-in shower is a smart investment for the future that can positively influence your home's sale value, especially as property buyers value modern, low-maintenance features and easy access.

MODULAR WALK-IN SYSTEMS FOR ALL SPACES

Our modular walk-in systems can either be installed onto a shower tray or flush fit directly to a tiled wetroom floor, providing great accessibility for the specific needs of individuals of all ages and challenges. Lakes modular wetrooms are one of very few ranges that are compatible with almost any bathroom layout, size and user needs, combining safety, style and versatility in bathroom design and creating that spa look and feel. Suitable for recess, corner and flat-wall installations and where space in the bathroom is limited.



RECESS/ALCOVE

Ideal for smaller bathrooms, ensuite, guest rooms or loft conversions, but more often installed in the space where a bath is being removed and replaced with a shower.


Using one main fixed front panel on a floor substrate allows homeowners the flexibility to design a personalised and contemporary showering space and choose from one of six colour finishes. For added luxury (and to keep the water within the showering area), add a fixed or hinged deflector panel.



CORNER

A corner space is often the most common area available and can offer more options in terms of form and function. With more floor space often available, two panels (main/front with a return/side or return panel) can be used. This allows the walk-in layout to work more like a standard corner shower enclosure.

The side panel is a practical solution to simply preventing water splashing outside the showering area. Corner walk-in set-ups offer as much splash protection as a normal moving shower door. What's more, the 90° glass-to-glass join feature can be made to look minimal using a corner bracket and clear sealant or using a more traditional full height corner post.




FLAT WALL (3-SIDED OR WALK-THROUGH)

Not always reserved for larger bathrooms, but again it could be a space created as a result of a bath being replaced with a showering area. Unlike standard moving doors, creating a 3-sided enclosure with a modular walk-in set up is much easier than trying to design and install a customary enclosure with a sliding, bifold or hinged door. It's also much more cost effective.

Alternatively, a flat wall walk-in shower can also be configured as a 'walk-through' shower with double entry points, featuring a single fixed glass panel. In summary, there's a Lakes walk-in shower set up to suit any size or shape of bathroom, and any budget.

BRACING BAR SOLUTIONS



Whether your bathroom demands 1, 2 or 3 walk-in screens and a deflector panel, our elegant bracing bars will provide the perfect blend of form and function. Each option is superbly engineered for durability and strength with screw points discreetly concealed from view, on the wall or ceiling.

MINIMAL DESIGN WALL BRACING BAR (BB1)

Safe and strong

Supplied 1200mm length for cutting to length on install

Complete with glass clamp, wall bracket and T- joint

Default bracing bar for full height deflector hinge BY8-3*/
BY10-3* and Full Framed Kit F8*

Not suitable for PHG/10 hinge or fixed deflector panels



BRACING BAR (BB1)



BRACING BAR (BB2)

GLASS TO WALL BRACING FOR HINGED DEFLECTOR APPLICATIONS (BB2)

Safe and strong

Supplied 1200mm length for cutting to length on install

Complete with glass clamp, wall bracket and T- joint



BRACING BAR (BB2)



BRACING BAR (BB2)

INLINE BRACING FOR FIXED DEFLECTOR PANEL TO WALL (BB3)

Safe and strong

Provided at 1200mm long for cutting to length on install

Supplied with glass clamp, wall bracket and T- joint

Required when using a fixed 90° non-rotating deflector panel

Not suitable for walk through glass layouts



GLASS TO CEILING
BRACING BAR (G2CB)



ANGLED BRACING BAR (AB)

A discreet option when an overhead bar is not feasible or desired

Suitable for fixed panels up to 600mm wide

Ready to use with glass clamp and wall bracket ends

Nominally 45° x 600mm long. If space demands, it can be used

between 30° & 60°



CEILING BRACKET (2CB)

GLASS TO CEILING BRACING BAR (G2CB)

A subtle yet incredibly secure glass stabilising option

Requires ceiling bracket

Supplied at 600mm long, for cutting to length

Recommended for use on panels up to 1000mm only

FLOOR TO CEILING BRACING BAR (F2C)

A stunning and safe method to secure fixed panels

Requires ceiling bracket

Supplied at 2600mm long, for cutting to length

CEILING BRACKET (2CB)

For use with 'to Ceiling' type bracing bars (G2CB or F2C)

Note: We recommend that all main panels over 500mm wide are installed with your choice of bracing bar.

PROFILE & CORNER SOLUTIONS

Our wall and corner profile solutions offer maximum versatility and stability, feature concealed fixings plus plenty of adjustability for those out of square walls.

WALL PROFILE (WPS)

1x wall profile is required whenever a glass panel connects to a wall.

Discreet design supplied with push in seals for 8mm and 10mm glass

Profile top cover cap

WPS* offers 20mm out of plumb adjustment for any wall surface tiles or wall panels




WALL PROFILE (WPS)




SLIMLINE WALL PROFILE (WPN)



RECESSED WALL PROFILE (RW)



RECESSED FLOOR PROFILE (RW)



CORNER BRACKET (CNR8 / CNR10)



CORNER POST (CP8 / CP10)

FULLY & ACCENT FRAMED WALK-IN PANELS

Elevate your walk-in shower with our Framed ranges, which use elegant glass edge profiles available in six colour finishes. Choose to Fully Frame the 8mm safety glass for maximum endurance and a striking feature, or opt for a subtle signature design by adding just one or two vertical Accent Frames.


FULLY FRAMED AN ARCHITECTURAL EDGE

Fully frame 8mm safety glass with our elegant profiles, creating an architectural feature. This beautiful framing offers ultimate endurance, easy cleaning, and comes in 6 stylish finishes.




ACCENT FRAMED DEFINE YOUR SPACE WITH A SUBTLE EDGE

Add subtle vertical edge profiles for an elegant signature design. This defined edge is not only beautiful but also enhances safety for those with visual impairment.




DEFLECTOR PANEL SOLUTIONS

To enrich your walk-in shower design and provide water overspray protection, choose from one of our sumptuous deflector panel options. Truly personalise your showering space by selecting from our friction-free rotating panels to provide easy walk-in access or instead opt for the ultimate spa/hotel style fixed deflector panel with clear seals. Rotating panels can also be retrofitted.



FULL HEIGHT ROTATING DEFLECTOR HINGE AND PANEL (BY8-3* / BY10-3*)

Sleek and elegant
Smooth friction-free 180° inward and 90° outward rotation
Complete with 300mm wide glass panel in 8 or 10mm glass
Use with BB1 bracing bar
Maximum protection from water overspray



HINGE TYPE DEFLECTOR PANEL (PHL / PHR + PHG)

Sleek minimalist on-glass hinge
Superb finish, luxury feel, heavy duty and perfect performance
180° inward only rotation and concealed fittings
Available left and right handed
Available with 300mm deflector panel with seal in 8mm (PHG8) and 10mm (PHG10)
Use with BB2 bracing bar



FIXED 90° DEFLECTOR PANEL (G8 / G10 + CNR / CP)

A simple yet practical 90° fixed glass deflector
200mm wide panel, 8 and 10mm glass
Can be fixed to the main panel using our corner post or corner bracket with ultra clear seal
Use with BB3 glass to wall bracing bar
An optional foot kit is available for installations where deflector glass is unsupported at base




OPTIONAL FOOTKIT FOR FIXED BYPASS (FTK)


Optional footkit can be used when fitting a new Modular Walk-in on a shower tray with a recommended maximum depth of 60mm

Note: All Hinged Deflector Panels are left or right-handed. Please suffix codes with L or R. All illustrations show left-hand option


WALK-IN SHOWER CONFIGURATIONS



Design the perfect Walk-In layout with infinite versatility. Choose from 8mm or 10mm glass and hardware options, available in six colour finishes for recess, corner, or flat wall installations. For custom designs, please consult your retailer.



FLAT WALL



RECESS/ALCOVE/CORNER

A GUIDE TO PERSONALISING YOUR SHOWER SPACE

Creating your own personalised walk-in showering space could not be easier with a choice of six colour finishes to complement your bathroom décor.

- 1 Select your showering space (recess, corner or flat wall).
- 2 Measure the floor space (width x depth) to include all wall tiles or wall coverings.
- 3 Choose your glass panels (8mm or 10mm) and glass size(s), plus a wall profile for each larger glass panel.
- 4 Select your bracing/stabilising preference to suit the number of glass panels, room construction and optional deflector panels.
- 5 Choose your glass connecting and deflector options.
- 6 Choose your colour finish.
- 7 Enjoy!

HINTS AND TIPS

We advise taking the measurements at least twice to check they're correct.

When measuring the space ensure the dimension includes final wall covering/tiles

We recommend allowing a minimum 500mm access gap between panels.

If you're choosing a full height hinged deflector panel, make sure you have enough space outside and inside of the showering space to open and close the panel.

If the glass is installed on a shower tray, ensure the tray has a minimum flat ledge of 40mm.


When measuring, it's not unusual to find some walls are not 100% straight for their entire height. Lakes wall profiles offer up to 20mm adjustment.

If you're replacing an existing shower enclosure and shower tray, check there haven't been any water leaks and that the intended floor area or tray is sound.


Check the position and height of the shower valve, shower head etc. to ensure all users can comfortably access the controls and shower head.

KEY COMPONENT PARTS


FRAMELESS



ACCENT FRAMED



FULLY FRAMED



- (A) Front panel
- (B) Side panel
- (C) End panel
- (D) Deflector panel
- (E) Bracing Bar(s)
- (F) Wall Profile(s)
- (G) 90° Corner options
- (H) Accent Frame Kits
- (I) Full Frame Kits

*A deflector panel cannot be used with recessed wall profiles

FLAT WALL 3-SIDED WETROOM WITHOUT DEFLECTOR PANELS




A luxurious option for a walk-in shower space, without the need for a large bathroom.

Unlike standard enclosures with moving doors such as a slider or hinged door, creating a 3-sided enclosure with a modular walk-in set up is much easier to install – and it can be more cost effective.


The 90° glass-to-glass feature can be joined by a corner bracket and clear seal, or by the more traditional full height corner post.

Choose from our wide selection of bracing bars, all available in six stunning finishes. All our glass features AllClear® as standard, for ease of cleaning.


FLAT WALL 3-SIDED WETROOM WITHOUT DEFLECTOR PANELS



01



02



03

8MM

3 x Glass Panels (G8-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (BB1) ✓
Corner Bracket (CNR8) ✓
Corner Seal (CNR8SEAL)

10MM

3 x Glass Panels (G10-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (BB1) ✓
Corner Bracket (CNR10) ✓
Corner Seal (CNR10SEAL)

8MM

3 x Glass Panels (G8-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (F2C8) ✓
2 x Ceiling Bracket (2CB) ✓
Corner Bracket (CNR8) ✓
Corner Seal (CNR8SEAL)

10MM

4 x Glass Panels (G10-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (BB1) ✓
2 x Corner Bracket (CNR10) ✓
2 x Corner Seal (CNR10SEAL)

KEY: ✓ add colour to code ▶ add size to code.


8MM & 10MM TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41
500mm Glass Panel	1981	G8-050	185.85	G10-050	218.17
600mm Glass Panel	1981	G8-060	212.08	G10-060	250.36
700mm Glass Panel **	1981	G8-070	226.73	G10-070	268.82
750mm Glass Panel**	1981	G8-075	226.73	G10-075	268.82
800mm Glass Panel**	1981	G8-080	250.59	G10-080	301.77
900mm Glass Panel**	1981	G8-090	274.94	G10-090	238.74
1000mm Glass Panel**	1981	G8-100	299.43	G10-100	359.22
1100mm Glass Panel**	1981	G8-110	323.21	G10-110	388.88
1200mm Glass Panel**	1981	G8-120	347.07	G10-120	418.62
1400mm Glass Panel**	1981	G8-140	405.47	-	-

AllClear® coating on both sides of the glass panels. Sizes shown are nominal.

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.



LIFETIME
GUARANTEE



FOR A STRAIGHT,
OPEN SPACE



WET ROOM
OR TRAY
OPTION

WALL PROFILES FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Slimline Wall Profile 23mm depth (10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.)	2000	WPN*	60.86	62.03	68.23
Standard Wall Profile 35mm depth (20mm adjustment, complete with 8&10mm push in glass gasket and profile cover cap.)	2000	WPS*	67.62	68.92	75.81
Recessed U Profile 8mm Glass	2000	RW8*	60.86	62.03	68.23
Recessed U Profile 10mm Glass	2000	RW10*	60.86	62.03	68.23

Zero in wall out of plumb vertical adjustment.
Glass is embedded into the recessed vertical profile, which reduces glass width by 20mm on stated widths.
When used as a floor profile in a tiled wet room, glass height will reduce by 10mm on stated height.
Designed for silicone fit glass to vertical or horizontal profile.
Hinged and fixed deflectors cannot be used when installing horizontal U recessed profiles.

BRACING BAR OPTIONS

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Bracing Bar (includes T joiner)	1200	BB1*	52.58	53.59	62.41
Front/Side Bracing Bar (includes T joiner)	1200	BB2*	56.75	57.84	64.00
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bar	600	G2CB*	57.67	58.78	73.08
Floor to Ceiling Post 8mm	2600	F2CB*	98.96	100.85	117.01
Ceiling Bracket for G2CB/F2CB	-	2CB*	22.65	23.09	32.04
Optional Foot Kit (for Fixed Deflector)	2000	FTK*	23.06	23.51	33.87

BB1 and BB2 supplied complete with glass clamp, wall bracket and T join for side panel installations.
Bracing bars can be cut to size on site.
Angled bracing bar is supplied complete with glass clamp and wall bracket. Bracing bar can be cut to size on site.
Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.
Angled bracing bar suitable for panels up to 1000mm wide.
Glass to ceiling & Floor to Ceiling bracing bar requires decorative ceiling cover 2CB.
Glass to ceiling bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.
Foot Kit recommended when fixed deflector glass is over tray recess.


CORNER JOINING OPTIONS FOR 8MM & 10MM GLASS

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
MINIMAL DESIGN					
Corner Bracket 8mm	-	CNR8*	37.08	37.79	46.39
Transparent Corner Seal 8mm	2000	CNR8SEAL	20.17	20.17	20.17
Corner Bracket 10mm	-	CNR10*	57.44	58.55	68.37
Transparent Corner Seal 10mm	2000	CNR10SEAL	20.33	20.33	20.33
CORNER POST STYLE					
Corner Post 8mm	2000	CP8*	62.82	64.03	70.70
Corner Post 10mm	2000	CP10*	66.66	67.95	74.93

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S)

BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)

BRUSHED
NICKEL (N)

GUN METAL
(GUN)

BRUSHED
BRONZE (BRZ)

FLAT WALL 3-SIDED WETROOM WITH DEFLECTOR PANELS




To prevent water "splash out" our 3-sided wetroom designs can be specified with any one of Lakes' fixed or rotating deflector panel options.

Our truly elegant, full height deflector panels 180° inward and 90° outward rotation. More minimal design 180° inward folding or the hotel look fixed panel.

Once you've chosen your preferred deflector panel, select the bracing bar and finish to create your perfect personalised showering space.

All rotating deflector panels can be retrofitted.


FLAT WALL 3-SIDED WETROOM WITH DEFLECTOR PANELS



04

8MM
 3 x Glass Panels (G8-) ▶
 2 x Wall Profile (WPS or WPN) ✓
 2 x Bracing Bar (BB1) ✓
 Corner Bracket (CNR8) ✓
 Corner Seal (CNR8SEAL)
 Profile Deflector (BY8-3) ✓


10MM
 3 x Glass Panels (G10-) ▶
 2 x Wall Profile (WPS or WPN) ✓
 2 x Bracing Bar (BB1) ✓
 Corner Bracket (CNR10) ✓
 Corner Seal (CNR10SEAL)
 Profile Deflector (BY10-3) ✓



05

8MM
 3 x Glass Panels (G8-) ▶
 2 x Wall Profile (WPS or WPN) ✓
 2 x Bracing Bar (F2C8) ✓
 Corner Bracket (CNR8) ✓
 Corner Seal (CNR8SEAL)
 Hinge Kit PH ✕ ✓
 Glass & Seal (PHG8-020 / PHG8-030 /
 PHG8-040)

10MM
 3 x Glass Panels (G10-) ▶
 2 x Wall Profile (WPS or WPN) ✓
 2 x Bracing Bar (F2C8) ✓
 Corner Bracket (CNR10) ✓
 Corner Seal (CNR8SEAL)
 Hinge Kit PH ✕ ✓
 Glass & Seal (PHG10-020 / PHG10-030 /
 PHG10-040)



06

8MM
 4 x Glass Panels (G8-) ▶
 2 x Wall Profile (WPS or WPN) ✓
 2 x Corner Bracket (CNR8) ✓
 2 x Corner Seal (CNR8SEAL)
 Bracing Bar (BB3) ✓
 Bracing Bar (BB1) ✓


10MM
 4 x Glass Panels (G10-) ▶
 2 x Wall Profile (WPS or WPN) ✓
 2 x Corner Bracket (CNR10) ✓
 2 x Corner Seal (CNR10SEAL)
 Bracing Bar (BB3) ✓
 Bracing Bar (BB1) ✓

KEY: ✓ add colour to code ▶ add size to code ✕ add L or R to code for left or right handed option. Left hand hinge shown

BRACING BAR OPTIONS



FRONT/SIDE PANEL BRACING BAR



GLASS TO CEILING BRACE



BRACING BAR (BB3)

JOINING OPTIONS



MINIMAL CORNER BRACKET FULL HEIGHT CORNER POST

DEFLECTOR HINGE OPTIONS



HINGE (BY)

HINGE (PH)



FLAT WALL 3-SIDED WETROOM WITH DEFLECTOR PANELS

8MM & 10MM TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41
500mm Glass Panel	1981	G8-050	185.85	G10-050	218.17
600mm Glass Panel	1981	G8-060	212.08	G10-060	250.36
700mm Glass Panel **	1981	G8-070	226.73	G10-070	268.82
750mm Glass Panel**	1981	G8-075	226.73	G10-075	268.82
800mm Glass Panel**	1981	G8-080	250.59	G10-080	301.77
900mm Glass Panel**	1981	G8-090	274.94	G10-090	238.74
1000mm Glass Panel**	1981	G8-100	299.43	G10-100	359.22
1100mm Glass Panel**	1981	G8-110	323.21	G10-110	388.88
1200mm Glass Panel**	1981	G8-120	347.07	G10-120	418.62
1400mm Glass Panel**	1981	G8-140	405.47	-	-

AllClear® coating on both sides of the glass panels. Sizes shown are nominal.

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.

WALL PROFILES FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Slimline Wall Profile 23mm depth (10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.)	2000	WPN*	60.86	62.03	68.23
Standard Wall Profile 35mm depth (20mm adjustment, complete with 8&10mm push in glass gasket and profile cover cap.)	2000	WPS*	67.62	68.92	75.81

BRACING BAR OPTIONS

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Bracing Bar (includes T joiner)	1200	BB1*	52.58	53.59	62.41
Front/Side Bracing Bar (includes T joiner)	1200	BB2*	56.75	57.84	64.00
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Brace	600	G2CB*	57.67	58.78	73.08
Ceiling Bracket	2CB*	22.65	23.09	32.04	

BB1 and BB2 supplied complete with glass clamp, wall bracket and T join for side panel installations. Bracing bars can be cut to size on site.

Angled bracing bar is supplied complete with glass clamp and wall bracket. Bracing bar can be cut to size on site.

Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.

Angled bracing bar suitable for panels up to 1000mm wide.

Glass to ceiling & Floor to Ceiling bracing bar requires decorative ceiling cover 2CB.

Glass to ceiling bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.



180° MINIMAL STYLE HINGED DEFLECTOR FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Hinge Set Left Hand	-	PHL*	120.50	122.82	140.21
Hinge Set Right Hand	-	PHR*	120.50	122.82	140.21
Front/Side Bracing Bar (includes T joiner)	1200	BB2*	56.75	57.84	64.00

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Deflector Glass and Transparent Seal	2000	PHG8-020	111.44	PHG10-020	120.05
300mm Deflector Glass and Transparent Seal	2000	PHG8-030	135.90	PHG10-030	148.92
400mm Deflector Glass and Transparent Seal	2000	PHG8-040	159.29	PHG10-040	176.72

270° FULL HINGED DEFLECTOR FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
300mm Full Height Hinge Deflector Assembly 8mm	2000	BY8-3*	248.71	253.50	278.85
300mm Full Height Hinge Deflector Assembly 10mm	2000	BY10-3*	259.82	264.82	291.31
Front/Side Bracing Bar (includes T joiner)	1200	BB1*	52.58	53.59	62.41

FIXED DEFLECTOR GLASS

Description	Height/Length mm	Code	Price Incl. VAT £
200mm Deflector Glass 8mm	1981	G8-020	111.44
300mm Deflector Glass 8mm	1981	G8-030	135.90
400mm Deflector Glass 8mm	1981	G8-040	159.29
200mm Deflector Glass 10mm	1981	G10-020	124.81
300mm Deflector Glass 10mm	1981	G10-030	152.21
400mm Deflector Glass 10mm	1981	G10-040	178.41

FIXED DEFLECTOR GLASS BRACING

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Inline Bracing Bar	1200	BB3*	51.62	52.61	63.21

CORNER JOINING OPTIONS FOR 8MM & 10MM GLASS

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
MINIMAL DESIGN					
Corner Bracket 8mm	-	CNR8*	370.8	37.79	46.39
Transparent Corner Seal 8mm	2000	CNR8SEAL	20.17	20.17	
Corner Bracket 10mm	-	CNR10*	57.44	58.55	68.37
Transparent Corner Seal 10mm	2000	CNR10SEAL	20.33	20.33	20.33

CORNER POST STYLE

Corner Post 8mm	2000	CP8*	62.82	64.03	70.70
Corner Post 10mm	2000	CP10*	66.66	67.95	74.93

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES		COLOURS			
SILVER (S)	BLACK (B)	BRUSHED BRASS (BRS)	BRUSHED NICKEL (N)	GUN METAL (GUN)	BRUSHED BRONZE (BRZ)

CORNER WETROOM WITHOUT DEFLECTOR PANELS




The corner of a bathroom is usually the ideal location to showcase a walk-in showering space. Our extensive collection of panel sizes offers a solution for almost every bathroom. Lakes' corner options are designed to offer maximum flexibility, practicality, and style.

The side panel will help reduce water to splash-out and protect other bathroom accessories and furniture from

overspray. Simply add the beautiful bracing bar finish of your choice to match the rest of the décor.

AllClear® glass coating is standard on all of our walk-in panels for ease of cleaning.

CORNER WETROOM WITHOUT DEFLECTOR PANELS



8MM
2 x Glass Panels (G8-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (BB1) ✓

10MM
2 x Glass Panels (G10-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (BB1) ✓

8MM
2 x Glass Panels (G8-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (F2C8) ✓
2 x Ceiling Bracket (2CB) ✓

8MM
2 x Glass Panels (G8-) ▶
Wall Profile (WPS or WPN) ✓
Bracing Bar (BB1) ✓
Corner Bracket (CNR8) ✓
Corner Seal (CNR8SEAL)
Ceiling Bracket (2CB) ✓

10MM
2 x Glass Panels (G10-) ▶
Wall Profile (WPS or WPN) ✓
Bracing Bar (BB1) ✓
Corner Bracket (CNR10) ✓
Corner Seal (CNR10SEAL)

KEY: ✓ add colour to code ▶ add size to code.

8MM & 10MM TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41
500mm Glass Panel	1981	G8-050	185.85	G10-050	218.17
600mm Glass Panel	1981	G8-060	212.08	G10-060	250.36
700mm Glass Panel **	1981	G8-070	226.73	G10-070	268.82
750mm Glass Panel**	1981	G8-075	226.73	G10-075	268.82
800mm Glass Panel**	1981	G8-080	250.59	G10-080	301.77
900mm Glass Panel**	1981	G8-090	274.94	G10-090	238.74
1000mm Glass Panel**	1981	G8-100	299.43	G10-100	359.22
1100mm Glass Panel**	1981	G8-110	323.21	G10-110	388.88
1200mm Glass Panel**	1981	G8-120	347.07	G10-120	418.62
1400mm Glass Panel**	1981	G8-140	405.47	-	-

AllClear® coating on both sides of the glass panels. Sizes shown are nominal.

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.



WALL PROFILES FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Slimline Wall Profile 23mm depth (10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.)	2000	WPN*	60.86	62.03	68.23
Standard Wall Profile 35mm depth (20mm adjustment, complete with 8&10mm push in glass gasket and profile cover cap.)	2000	WPS*	67.62	68.92	75.81
Recessed U Profile 8mm Glass	2000	RW8*	60.86	62.03	68.23
Recessed U Profile 10mm Glass	2000	RW10*	60.86	62.03	68.23

Zero in wall out of plumb vertical adjustment.
Glass is embedded into the recessed vertical profile, which reduces glass width by 20mm on stated widths.
When used as a floor profile in a tiled wet room, glass height will reduce by 10mm on stated height.
Designed for silicone fit glass to vertical or horizontal profile.
Hinged and fixed deflectors cannot be used when installing horizontal U recessed profiles.

BRACING BAR OPTIONS

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Bracing Bar (includes T joiner)	1200	BB1*	52.58	53.59	62.41
Front/Side Bracing Bar (includes T joiner)	1200	BB2*	56.75	57.84	64.00
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bar	600	G2CB*	57.67	58.78	73.08
Floor to Ceiling Post 8mm	2600	F2CB*	98.96	100.85	117.01
Ceiling Bracket for G2CB/F2CB	-	2CB*	22.65	23.09	32.04
Optional Foot Kit (for Fixed Deflector)	2000	FTK*	23.06	23.51	33.87

BB1 and BB2 supplied complete with glass clamp, wall bracket and T join for side panel installations.
Bracing bars can be cut to size on site.
Angled bracing bar is supplied complete with glass clamp and wall bracket. Bracing bar can be cut to size on site.
Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.
Angled bracing bar suitable for panels up to 1000mm wide.
Glass to ceiling & Floor to Ceiling bracing bar requires decorative ceiling cover 2CB.
Glass to ceiling bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.
Foot Kit recommended when fixed deflector glass is over tray recess.


CORNER JOINING OPTIONS FOR 8MM & 10MM GLASS

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
MINIMAL DESIGN					
Corner Bracket 8mm	-	CNR8*	37.08	37.79	46.39
Transparent Corner Seal 8mm	2000	CNR8SEAL	20.17	20.17	20.17
Corner Bracket 10mm	-	CNR10*	57.44	58.55	68.37
Transparent Corner Seal 10mm	2000	CNR10SEAL	20.33	20.33	20.33
CORNER POST STYLE					
Corner Post 8mm	2000	CP8*	62.82	64.03	70.70
Corner Post 10mm	2000	CP10*	66.66	67.95	74.93

FINISH OPTIONS


* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S) BLACK (B)

COLOURS



BRUSHED BRASS (BRS) BRUSHED NICKEL (N) GUN METAL (GUN) BRUSHED BRONZE (BRZ)


CORNER WETROOM WITH DEFLECTOR PANELS



For smaller corner bathrooms or for that 'spa' look, one of our elegant corner walk-in options with a practical deflector panel can create the perfect personalised showering space. The additional panel can often make the showering area feel a little warmer once the shower has been turned off.


Choose from a fixed deflector panel or one of two rotating deflector hinged panels, and select one of six beautiful bracing bar finishes depending on your requirements. All rotating deflector panels can be retrofitted. AllClear® glass coating is standard on all of our walk-in panels for ease of cleaning.

CORNER WETROOM WITH DEFLECTOR PANELS




8MM
2 x Glass Panels (G8-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (BB1) ✓
Hinge Kit PH X ✓
Glass & Seal (PHG8-020 / PHG8-030 / PHG8-040)

10MM
2 x Glass Panels (G10-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (BB1) ✓
Profile Deflector (BY10-3) ✓




8MM
2 x Glass Panels (G8-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (BB1) ✓
Profile Deflector (BY8-3) ✓

10MM
2 x Glass Panels (G10-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Bracing Bar (BB1) ✓
Profile Deflector (BY10-3) ✓




8MM
3 x Glass Panels (G8-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Corner Bracket (CNR8) ✓
2 x Corner Seal (CNR8SEAL)
Bracing Bar (BB3) ✓
Bracing Bar (BB1) ✓

10MM
3 x Glass Panels (G10-) ▶
2 x Wall Profile (WPS or WPN) ✓
2 x Corner Bracket (CNR10) ✓
2 x Corner Seal (CNR10SEAL)
Bracing Bar (BB3) ✓
Bracing Bar (BB1) ✓




8MM
2 x Glass Panels (G8-) ▶
Wall Profile (WPS or WPN) ✓
Bracing Bar (BB2) ✓
Corner Bracket (CNR8) ✓
Corner Seal (CNR8SEAL)
Bracing Bar (BB1) ✓
Hinge Kit PH X ✓
Glass & Seal (PHG8-020 / PHG8-030 / PHG8-040)

10MM
2 x Glass Panels (G10-) ▶
Wall Profile (WPS or WPN) ✓
Bracing Bar (BB2) ✓
Corner Bracket (CNR10) ✓
Corner Seal (CNR10SEAL)
Bracing Bar (BB1) ✓
Hinge Kit PH X ✓
Glass & Seal (PHG10-020 / PHG10-030 / PHG10-040)



8MM
2 x Glass Panels (G8-) ▶
Wall Profile (WPS or WPN) ✓
Corner Bracket (CNR8) ✓
Corner Seal (CNR8SEAL)
Bracing Bar (BB1) ✓
Profile Deflector (BY8-3) ✓

10MM
2 x Glass Panels (G10-) ▶
Wall Profile (WPS or WPN) ✓
Corner Bracket (CNR10) ✓
Corner Seal (CNR10SEAL)
Bracing Bar (BB1) ✓
Profile Deflector (BY10-3) ✓



8MM
3 x Glass Panels (G8-) ▶
Wall Profile (WPS or WPN) ✓
2 x Corner Bracket (CNR8) ✓
2 x Corner Seal (CNR8SEAL)
Bracing Bar (BB3) ✓

10MM
3 x Glass Panels (G10-) ▶
Wall Profile (WPS or WPN) ✓
2 x Corner Bracket (CNR10) ✓
2 x Corner Seal (CNR10SEAL)
Bracing Bar (BB3) ✓

KEY: ✓ add colour to code ▶ add size to code X add L or R to code for left or right handed option. Left hand hinge shown

KEY: ✓ add colour to code ▶ add size to code X add L or R to code for left or right handed option. Left hand hinge shown

BRACING BAR OPTIONS



FRONT/SIDE PANEL BRACING BAR



GLASS TO CEILING BRACE




FLOOR TO CEILING POST

JOINING OPTIONS



MINIMAL CORNER BRACKET



FULL HEIGHT CORNER POST



CORNER WETROOM WITH DEFLECTOR PANELS

8MM & 10MM TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41
500mm Glass Panel	1981	G8-050	185.85	G10-050	218.17
600mm Glass Panel	1981	G8-060	212.08	G10-060	250.36
700mm Glass Panel **	1981	G8-070	226.73	G10-070	268.82
750mm Glass Panel**	1981	G8-075	226.73	G10-075	268.82
800mm Glass Panel**	1981	G8-080	250.59	G10-080	301.77
900mm Glass Panel**	1981	G8-090	274.94	G10-090	238.74
1000mm Glass Panel**	1981	G8-100	299.43	G10-100	359.22
1100mm Glass Panel**	1981	G8-110	323.21	G10-110	388.88
1200mm Glass Panel**	1981	G8-120	347.07	G10-120	418.62
1400mm Glass Panel**	1981	G8-140	405.47	-	-

AllClear® coating on both sides of the glass panels. Sizes shown are nominal.

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.

WALL PROFILES FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Slimline Wall Profile 23mm depth (10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.)	2000	WPN*	60.86	62.03	68.23
Standard Wall Profile 35mm depth (20mm adjustment, complete with 8&10mm push in glass gasket and profile cover cap.)	2000	WPS*	67.62	68.92	75.81

BRACING BAR OPTIONS

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Bracing Bar (includes T joiner)	1200	BB1*	52.58	53.59	62.41
Front/Side Bracing Bar (includes T joiner)	1200	BB2*	56.75	57.84	64.00
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bar	600	G2CB*	57.67	58.78	73.08
Floor to Ceiling Post 8mm	2600	F2CB*	98.96	100.85	117.01
Ceiling Bracket for G2CB/F2CB	-	2CB*	22.65	23.09	32.04
Optional Foot Kit (for Fixed Deflector)	2000	FTK*	23.06	23.51	33.87

BB1 and BB2 supplied complete with glass clamp, wall bracket and T join for side panel installations.

Bracing bars can be cut to size on site.

Angled bracing bar is supplied complete with glass clamp and wall bracket. Bracing bar can be cut to size on site.

Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.

Angled bracing bar suitable for panels up to 1000mm wide.

Glass to ceiling & Floor to Ceiling bracing bar requires decorative ceiling cover 2CB.

Glass to ceiling bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.

Foot Kit recommended when fixed deflector glass is over tray recess.

180° MINIMAL STYLE HINGED DEFLECTOR FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Hinge Set Left Hand	-	PHL*	120.50	122.82	140.21
Hinge Set Right Hand	-	PHR*	120.50	122.82	140.21
Front/Side Bracing Bar (includes T joiner)	1200	BB2*	56.75	57.84	64.00

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Deflector Glass and Transparent Seal	2000	PHG8-020	111.44	PHG10-020	120.05
300mm Deflector Glass and Transparent Seal	2000	PHG8-030	135.90	PHG10-030	148.92
400mm Deflector Glass and Transparent Seal	2000	PHG8-040	159.29	PHG10-040	176.72

270° FULL HINGED DEFLECTOR FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
300mm Full Height Hinge Deflector Assembly 8mm	2000	BY8-3*	248.71	253.50	278.85
300mm Full Height Hinge Deflector Assembly 10mm	2000	BY10-3*	259.82	264.82	291.31
Front/Side Bracing Bar (includes T joiner)	1200	BB1*	52.58	53.59	62.41

FIXED DEFLECTOR GLASS

Description	Height/Length mm	Code	Price Incl. VAT £
200mm Deflector Glass 8mm	1981	G8-020	111.44
300mm Deflector Glass 8mm	1981	G8-030	135.90
400mm Deflector Glass 8mm	1981	G8-040	159.29
200mm Deflector Glass 10mm	1981	G10-020	124.81
300mm Deflector Glass 10mm	1981	G10-030	152.21
400mm Deflector Glass 10mm	1981	G10-040	178.41

FIXED DEFLECTOR GLASS BRACING

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Inline Bracing Bar	1200	BB3*	51.62	52.61	63.21

CORNER JOINING OPTIONS FOR 8MM & 10MM GLASS

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
MINIMAL DESIGN					
Corner Bracket 8mm	-	CNR8*	37.08	37.79	46.39
Transparent Corner Seal 8mm	2000	CNR8SEAL	20.17	20.17	20.17
Corner Bracket 10mm	-	CNR10*	57.44	58.55	68.37
Transparent Corner Seal 10mm	2000	CNR10SEAL	20.33	20.33	20.33


CORNER POST STYLE

Corner Post 8mm	2000	CP8*	62.82	64.03	70.70
Corner Post 10mm	2000	CP10*	66.66	67.95	74.93

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)


MONOCHROMES



SILVER (S)

BLACK (B)

COLOURS



BRUSHED BRASS (BRS)

BRUSHED NICKEL (N)

GUN METAL (GUN)

BRUSHED BRONZE (BRZ)

WETROOM PANEL WITHOUT DEFLECTOR PANELS




Even traditionally smaller British bathrooms can be personalised to create a wonderful showering space.

Lakes' simple yet refined walk-in panels are at home in any recess area. Within our extensive range of 8mm and 10mm toughened safety glass panels, you will find a size solution that suits the look and showering experience you're trying to create. Then, simply choose one of our

elegant bracing bar solutions to create the safest and sleekest glass panel arrangement. The glass height will add to the impression of space and enhanced light even in the tightest of spaces. Wall profiles and bracing bars are all available in a choice of six fabulous finishes.

AllClear® glass coating is standard on all of our walk-in panels for ease of cleaning.

WETROOM PANEL WITHOUT DEFLECTOR PANELS



8MM
Glass Panels (G8-) ▶
Wall Profile (WPS or WPN) ▼
Bracing Bar (BB1) ▼

10MM
Glass Panels (G10-) ▶
Wall Profile (WPS or WPN) ▼
Bracing Bar (BB1) ▼

8MM
Glass Panels (G8-) ▶
Wall Profile (WPS or WPN) ▼
Bracing Bar (G2CB) ▼
Ceiling Bracket (2CB) ▼

10MM
Glass Panels (G10-) ▶
Wall Profile (WPS or WPN) ▼
Bracing Bar (G2CB) ▼
Ceiling Bracket (2CB) ▼

8MM
Glass Panels (G8-) ▶
Wall Profile (WPS or WPN) ▼
1x Bracing Bar (F2C8*) ▼
1x Ceiling Bracket (2CB) ▼

10MM
Glass Panels (G10-) ▶
Wall Profile (WPS or WPN) ▼
Bracing Bar (AB) ▼

KEY: ▼ add colour to code ▶ add size to code.


BRACING BAR OPTIONS



FRONT PANEL
BRACING BAR

GLASS TO
CEILING BRACE

FLOOR TO
CEILING POST



8MM & 10MM TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41
500mm Glass Panel	1981	G8-050	185.85	G10-050	218.17
600mm Glass Panel	1981	G8-060	212.08	G10-060	250.36
700mm Glass Panel **	1981	G8-070	226.73	G10-070	268.82
750mm Glass Panel**	1981	G8-075	226.73	G10-075	268.82
800mm Glass Panel**	1981	G8-080	250.59	G10-080	301.77
900mm Glass Panel**	1981	G8-090	274.94	G10-090	238.74
1000mm Glass Panel**	1981	G8-100	299.43	G10-100	359.22
1100mm Glass Panel**	1981	G8-110	323.21	G10-110	388.88
1200mm Glass Panel**	1981	G8-120	347.07	G10-120	418.62
1400mm Glass Panel**	1981	G8-140	405.47	-	-

AllClear® coating on both sides of the glass panels. Sizes shown are nominal.

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width. Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.

WALL PROFILES FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Slimline Wall Profile 23mm depth (10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.)	2000	WPN*	60.86	62.03	68.23
Standard Wall Profile 35mm depth (20mm adjustment, complete with 8&10mm push in glass gasket and profile cover cap.)	2000	WPS*	67.62	68.92	75.81
Recessed U Profile 8mm Glass	2000	RW8*	60.86	62.03	68.23
Recessed U Profile 10mm Glass	2000	RW10*	60.86	62.03	68.23

Zero in wall out of plumb vertical adjustment.

Glass is embedded into the recessed vertical profile, which reduces glass width by 20mm on stated widths. When used as a floor profile in a tiled wet room, glass height will reduce by 10mm on stated height.

Designed for silicone fit glass to vertical or horizontal profile. Hinged and fixed deflectors cannot be used when installing horizontal U recessed profiles.

BRACING BAR OPTIONS


Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Bracing Bar (includes T joiner)	1200	BB1*	52.58	53.59	62.41
Front/Side Bracing Bar (includes T joiner)	1200	BB2*	56.75	57.84	64.00
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bar	600	G2CB*	57.67	58.78	73.08
Floor to Ceiling Post 8mm	2600	F2C8*	98.96	100.85	117.01
Ceiling Bracket for G2CB/F2CB	-	2CB*	22.65	23.09	32.04
Optional Foot Kit (for Fixed Deflector)		FTK*	23.06	23.51	33.87

BB1 and BB2 supplied complete with glass clamp, wall bracket and T join for side panel installations. Bracing bars can be cut to size on site. Angled bracing bar is supplied complete with glass clamp and wall bracket. Bracing bar can be cut to size on site. Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°. Angled bracing bar suitable for panels up to 1000mm wide. Glass to ceiling & Floor to Ceiling bracing bar requires decorative ceiling cover 2CB. Glass to ceiling bracing bar suitable for panels up to 1000mm wide and can be cut to height on site. Foot Kit recommended when fixed deflector glass is over tray recess.

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S)

BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)

BRUSHED
NICKEL (N)

GUN METAL
(GUN)

BRUSHED
BRONZE (BRZ)

WETROOM PANEL WITH DEFLECTOR PANELS




To ensure that the water spray stays within the walk-in showering area and the rest of the bathroom remains dry, choose from one of our elegant deflector panels.

Our contemporary fixed panel or rotating panels (which can be neatly folded away) are superbly engineered and will add practicality and visual appeal to your showering


space. Retrofitting is available on all rotating deflector panels.

All deflector fittings are available in our palette of 6 colour finishes and all glass panels feature AllClear® glass coating is standard on all of our walk-in panels for ease of cleaning.


WETROOM PANEL WITH DEFLECTOR PANELS



8MM
 Glass Panels (G8-) ▶
 Wall Profile (WPS or WPN) ✓
 Bracing Bar (BB2) ✓
 Hinge Kit PH X ✓
 Glass & Seal (PHG8-020 / PHG8-030 / PHG8-040)



8MM
 Glass Panels (G8-) ▶
 Wall Profile (WPS or WPN) ✓
 Bracing Bar (BB1) ✓
 Profile Deflector (BY8-3) ✓



8MM
 2 x Glass Panels (G8-) ▶
 Wall Profile (WPS or WPN) ✓
 Corner Bracket (CNR8) ✓
 Corner Seal (CNR8SEAL)
 Bracing Bar (BB3) ✓

10MM
 Glass Panels (G10-) ▶
 Wall Profile (WPS or WPN) ✓
 Bracing Bar (BB1) ✓
 Profile Deflector (BY10-3) ✓

10MM
 2 x Glass Panels (G10-) ▶
 Wall Profile (WPS or WPN) ✓
 Corner Bracket (CNR10) ✓
 Corner Seal (CNR10SEAL)
 Bracing Bar (BB3) ✓

KEY: ✓ add colour to code ▶ add size to code X add L or R to code for left or right handed option. Left hand hinge shown

8MM & 10MM TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41
500mm Glass Panel	1981	G8-050	185.85	G10-050	218.17
600mm Glass Panel	1981	G8-060	212.08	G10-060	250.36
700mm Glass Panel **	1981	G8-070	226.73	G10-070	268.82
750mm Glass Panel**	1981	G8-075	226.73	G10-075	268.82
800mm Glass Panel**	1981	G8-080	250.59	G10-080	301.77
900mm Glass Panel**	1981	G8-090	274.94	G10-090	238.74
1000mm Glass Panel**	1981	G8-100	299.43	G10-100	359.22
1100mm Glass Panel**	1981	G8-110	323.21	G10-110	388.88
1200mm Glass Panel**	1981	G8-120	347.07	G10-120	418.62
1400mm Glass Panel**	1981	G8-140	405.47	-	-

AllClear® coating on both sides of the glass panels. Sizes shown are nominal.

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.



WALL PROFILES FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Slimline Wall Profile 23mm depth (10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.)	2000	WPN*	60.86	62.03	68.23
Standard Wall Profile 35mm depth (20mm adjustment, complete with 8&10mm push in glass gasket and profile cover cap.)	2000	WPS*	67.62	68.92	75.81

BRACING BAR OPTIONS

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Bracing Bar (includes T joiner)	1200	BB1*	52.58	53.59	62.41
Front/Side Bracing Bar (includes T joiner)	1200	BB2*	56.75	57.84	64.00
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Brace	600	G2CB*	57.67	58.78	73.08
Ceiling Bracket		2CB*	22.65	23.09	32.04

BB1 and BB2 supplied complete with glass clamp, wall bracket and T join for side panel installations. Bracing bars can be cut to size on site. Angled bracing bar is supplied complete with glass clamp and wall bracket. Bracing bar can be cut to size on site. Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°. Angled bracing bar suitable for panels up to 1000mm wide. Glass to ceiling & Floor to Ceiling bracing bar requires decorative ceiling cover 2CB. Glass to ceiling bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.

180° MINIMAL STYLE HINGED DEFLECTOR FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Hinge Set Left Hand	-	PHL*	120.50	122.82	140.21
Hinge Set Right Hand	-	PHR*	120.50	122.82	140.21
Front/Side Bracing Bar (includes T joiner)	1200	BB2*	56.75	57.84	64.00

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Deflector Glass and Transparent Seal	2000	PHG8-020	111.44	PHG10-020	120.05
300mm Deflector Glass and Transparent Seal	2000	PHG8-030	135.90	PHG10-030	148.92
400mm Deflector Glass and Transparent Seal	2000	PHG8-040	159.29	PHG10-040	176.72

270° FULL HINGED DEFLECTOR FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
300mm Full Height Hinge Deflector Assembly 8mm	2000	BY8-3*	248.71	253.50	278.85
300mm Full Height Hinge Deflector Assembly 10mm	2000	BY10-3*	259.82	264.82	291.31
Front/Side Bracing Bar (includes T joiner)	1200	BB1*	52.58	53.59	62.41


FIXED DEFLECTOR PANEL 8MM & 10MM GLASS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41

FINISH OPTIONS


* Please add the following codes to the product code when ordering a colour option:
 Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S) BLACK (B)

COLOURS



BRUSHED BRASS (BRS) BRUSHED NICKEL (N) GUN METAL (GUN) BRUSHED BRONZE (BRZ)

WALK THROUGH WETROOM WITH OR WITHOUT DEFLECTOR PANELS




You may have seen or even experienced them in hotels, but now you can enjoy a walk through wetroom in your own home.

Ideal for installation where space in the bathroom is not an issue and where a standard shower tray size isn't what you're looking for. Perfect on a tiled floor, we recommend allowing around 500mm minimum access width on both sides.


Our selection of stunning, secure and practical bracing bars, available in a choice of colour finishes, will complement your bathroom décor and styling.

And if you want to add a deflector panel, choose one of our fixed or rotating panel sizes to suit your style and help to keep the water within the walk through area. All rotating deflector panels can be retrofitted.


WALK THROUGH WETROOM WITH OR WITHOUT DEFLECTOR PANELS



8MM
Glass Panels (G8-) ▶
2 x Bracing Bar (BB1) ✓




8MM
Glass Panels (G8-) ▶
2 x Bracing Bar (F2C8*) ✓
2 x Ceiling Bracket (2CB) ✓




8MM
Glass Panels (G8-) ▶
2 x Bracing Bar (BB2) ✓
Hinge Kit PHL ✕ ✓
Hinge Kit PHR ✕ ✓
Glass & Seal (PHG8-020 / PHG8-030 /
PHG8-040)

10MM
2 x Glass Panels (G10-) ▶
2 x Bracing Bar (BB1) ✓



8MM
Glass Panels (G8-) ▶
2 x Profile Deflector (BY8-3) ✓
Bracing Bar (BB1) ✓



10MM
Glass Panels (G10-) ▶
2 x Profile Deflector (BY10-3) ✓
Bracing Bar (BB1) ✓

8MM
3 x Glass Panels (G8-) ▶
2 x Corner Bracket (CNR8) ✓
2 x Corner Seal (CNR8SEAL)
2 x Bracing Bar (BB1) ✓

10MM
3 x Glass Panels (G10-) ▶
2 x Corner Bracket (CNR10) ✓
2 x Corner Seal (CNR10SEAL)
2 x Bracing Bar (BB1) ✓

KEY: ✓ add colour to code ▶ add size to code.



WALK THROUGH WETROOM WITH OR WITHOUT DEFLECTOR PANELS



8MM & 10MM TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41
500mm Glass Panel	1981	G8-050	185.85	G10-050	218.17
600mm Glass Panel	1981	G8-060	212.08	G10-060	250.36
700mm Glass Panel **	1981	G8-070	226.73	G10-070	268.82
750mm Glass Panel**	1981	G8-075	226.73	G10-075	268.82
800mm Glass Panel**	1981	G8-080	250.59	G10-080	301.77
900mm Glass Panel**	1981	G8-090	274.94	G10-090	328.74
1000mm Glass Panel**	1981	G8-100	299.43	G10-100	359.22
1100mm Glass Panel**	1981	G8-110	323.21	G10-110	388.88
1200mm Glass Panel**	1981	G8-120	347.07	G10-120	418.62
1400mm Glass Panel**	1981	G8-140	405.47	-	-

AllClear® coating on both sides of the glass panels. Sizes shown are nominal.

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.



180° MINIMAL STYLE HINGED DEFLECTOR FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Hinge Set Left Hand	-	PHL*	120.50	122.82	140.21
Hinge Set Right Hand	-	PHR*	120.50	122.82	140.21
Front/Side Bracing Bar (includes T joiner)	1200	BB2*	56.75	57.84	64.00

8MM & 10MM TOUGHENED SAFETY CLEAR DEFLECTOR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Deflector Glass and Transparent Seal	2000	PHG8-020	111.44	PHG10-020	120.05
300mm Deflector Glass and Transparent Seal	2000	PHG8-030	135.90	PHG10-030	148.92
400mm Deflector Glass and Transparent Seal	2000	PHG8-040	159.29	PHG10-040	176.72

AllClear® coating on both sides of the glass panels

270° FULL HINGED DEFLECTOR FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
300mm Full Height Hinge Deflector Assembly 8mm	2000	BY8-3*	248.71	253.50	278.85
300mm Full Height Hinge Deflector Assembly 10mm	2000	BY10-3*	259.82	264.82	291.31
Front/Side Bracing Bar (includes T joiner)	1200	BB1*	52.58	53.59	62.41

AllClear® coating on both sides of the glass panels

CORNER JOINING OPTIONS FOR 8MM & 10MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
MINIMAL DESIGN					
Corner Bracket 8mm	-	CNR8*	37.08	37.79	46.39
Transparent Corner Seal 8mm	2000	CNR8SEAL	20.17	20.17	20.17
Corner Bracket 10mm	-	CNR10*	57.44	58.55	68.37
Transparent Corner Seal 10mm	2000	CNR10SEAL	20.33	20.33	20.33
CORNER POST STYLE					
Corner Post 8mm	2000	CP8*	62.82	64.03	70.70
Corner Post 10mm	2000	CP10*	66.66	67.95	74.93

BRACING BAR OPTIONS


Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Floor to Ceiling Post 8mm	2600	F2C8*	98.96	100.85	117.01
Ceiling Bracket	-	2CB*	22.65	23.09	32.04
Optional Foot Kit (for Fixed Deflector)	-	FTK*	23.06	23.51	33.87

Footkit recommended when fixed deflector glass is over tray recess

FINISH OPTIONS


* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S) BLACK (B)

COLOURS



BRUSHED BRASS (BRS) BRUSHED NICKEL (N) GUN METAL (GUN) BRUSHED BRONZE (BRZ)


WALK-IN PANEL FULLY FRAMED




Create a stunning feature element to your bathroom by fully framing Lakes' 8mm toughened safety glass with our elegant glass edge profiles.

Not only beautiful the framing offers ultimate safety and endurance in a busy bathroom, is easy to clean and available in 6 colour finishes.


FULLY FRAMED



1x Glass Panel (G8-) ▶
1x Full Framed Kit (F8) ▶
1x Wall Profile (WPS or WPN) ▶
1x Bracing Bar (BB1) ▶





1x Glass Panel (G8-) ▶
2x Full Framed Kits (F8) ▶
2x Bracing Bars (BB1) ▶



2x Glass Panels (G8-) ▶
2x Full Framed Kits (F8) ▶
2x Wall Profile (WPS or WPN) ▶
2x Bracing Bar (BB1) ▶

KEY: ▶ add colour to code ▶ add size to code.



8MM TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	Code	Price Incl. VAT £	
200mm Glass Panel	1981	G8-020	111.44	AllClear® coating on both sides of the glass panels.
300mm Glass Panel	1981	G8-030	135.90	Sizes shown are nominal.
400mm Glass Panel	1981	G8-040	159.29	**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.
500mm Glass Panel	1981	G8-050	185.85	Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.
600mm Glass Panel	1981	G8-060	212.08	
700mm Glass Panel **	1981	G8-070	226.73	
750mm Glass Panel**	1981	G8-075	226.73	
800mm Glass Panel**	1981	G8-080	250.59	
900mm Glass Panel**	1981	G8-090	274.94	
1000mm Glass Panel**	1981	G8-100	299.43	
1100mm Glass Panel**	1981	G8-110	323.21	
1200mm Glass Panel**	1981	G8-120	347.07	
1400mm Glass Panel**	1981	G8-140	405.47	

AllClear® coating on both sides of the glass panels.
Sizes shown are nominal.
**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.
Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.

WALL PROFILES

Description	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Slimline Wall Profile 23mm depth	WPN*	60.86	62.03	68.23
10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.				
Standard Wall Profile 35mm depth	WPS*	67.62	68.92	75.81
20mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap. Wall profiles are sized to suit glass height				

FULLY FRAMED GLASS PROFILE KIT FOR 8MM GLASS

Description	Size mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Full Frame Wetroom Panel Frame Kit	H 2000 x W 1400 F8*		146.06	148.87	163.75

Kit includes 2x horizontal and 1x vertical glass profiles.
Framed kit supplied at 1400mm width to cut down on site to suit walk-in panel width.
Complete with vertical profile cover cap.
Silicone fit to glass.

BRACING BAR (REQUIRED)

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Panel Bracing Bar	1200	BB1*	52.58	53.59	62.41

Supplied complete with glass clamp, wall bracket and T join for side panel installations. Bracing bars can be cut to size on site.

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S) BLACK (B)

COLOURS




BRUSHED BRASS (BRS) BRUSHED NICKEL (N) GUN METAL (GUN) BRUSHED BRONZE (BRZ)

WALK-IN PANEL ACCENT FRAMED



Lakes Walk-In showers provide almost endless versatility. If you are looking for a subtle signature design element for your showering space, then simply add one or two vertical glass edge profiles to the panel. It's not only an elegant design feature, adding a defined edge to the glass will assist those with visual impairment to enjoy a safer showering experience.

ACCENT FRAMED



1x Glass Panel (G8-) ▶
1x Vertical Framed Kit (FV8) ▼
1x Bracing Bar (BB1) ▼
1x Ceiling Bracket (2CB)

1x Glass Panel (G8-) ▶
1x Vertical Framed Kit (FV8) ▼
1x Glass to Ceiling Bracing Bar (G2CB) ▼
1x Ceiling Bracket (2CB)



1x Glass Panel (G8-) ▶
2x Vertical Framed Kit (FV8) ▼
2x Bracing Bar (BB1) ▼

2x Glass Panels (G8-) ▶
2x Vertical Framed Kit (FV8) ▼
2x Wall Profile (WPS or WPN) ▼
2x Bracing Bars (BB1) ▼

OR

1x Glass Panel (G8-) ▶
1x Vertical Framed Kit (FV8) ▼
1x Angled Bracing Bar (AB) ▼
1x Ceiling Bracket (2CB)

KEY: ▼ add colour to code ▶ add size to code.



8MM TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	Code	Price Incl. VAT £	
200mm Glass Panel	1981	G8-020	111.44	AllClear® coating on both sides of the glass panels.
300mm Glass Panel	1981	G8-030	135.90	Sizes shown are nominal.
400mm Glass Panel	1981	G8-040	159.29	**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.
500mm Glass Panel	1981	G8-050	185.85	Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.
600mm Glass Panel	1981	G8-060	212.08	
700mm Glass Panel **	1981	G8-070	226.73	
750mm Glass Panel**	1981	G8-075	226.73	
800mm Glass Panel**	1981	G8-080	250.59	
900mm Glass Panel**	1981	G8-090	274.94	
1000mm Glass Panel**	1981	G8-100	299.43	
1100mm Glass Panel**	1981	G8-110	323.21	
1200mm Glass Panel**	1981	G8-120	347.07	
1400mm Glass Panel**	1981	G8-140	405.47	

WALL PROFILES

Description	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Slimline Wall Profile 23mm depth	WPN*	60.86	62.03	68.23
10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.				
Standard Wall Profile 35mm depth	WPS*	67.62	68.92	75.81
20mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap. Wall profiles are sized to suit glass height				

VERTICAL FRAME PROFILE KIT FOR 8MM GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Full Wetroom Panel Framed Kit	H 2000 x W 1400	FV8*	81.14	82.70	90.97

Kit includes 1x vertical glass profile and profile cover cap.
Silicone fit to glass.

BRACING BAR OPTIONS


Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Panel Bracing Bar	1200	BB1*	52.58	53.59	62.41
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bracing Bar	600	G2CB*	57.67	58.78	73.08
Ceiling Bracket for G2CB	-	2CB*	22.65	23.09	32.04

Angled bracing bar is supplied complete with glass clamp and wall bracket.
Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.
Angled bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.
Glass to ceiling bracing bar requires decorative ceiling cover 2CB.
Glass to Ceiling Bracing Bar suitable for panels up to 1000mm wide and can be cut to length on site.

FINISH OPTIONS


* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES




SILVER (S) BLACK (B)

COLOURS



BRUSHED BRASS (BRS) BRUSHED NICKEL (N) GUN METAL (GUN) BRUSHED BRONZE (BRZ)

RECESSED PROFILE





Create the most minimalist walk-in panel showering space by using Lakes' recessed wall and floor profiles.

Carefully designed to be incorporated into wall and/or floor tiling, our recessed profiles provide truly robust walk-in panel stability, while being "barely noticeable" in your chosen colour.

Vertical recessed profiles can be used with glass mounted on a tray surface. Horizontal/floor profiles are only suitable for true wetroom/tiled floor bases.

RECESSED WALL & FLOOR PROFILES



When using a recessed floor profile – deflector panels cannot be used



8MM & 10MM TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41
500mm Glass Panel	1981	G8-050	185.85	G10-050	218.17
600mm Glass Panel	1981	G8-060	212.08	G10-060	250.36
700mm Glass Panel**	1981	G8-070	226.73	G10-070	268.82
750mm Glass Panel**	1981	G8-075	226.73	G10-075	268.82
800mm Glass Panel**	1981	G8-080	250.59	G10-080	301.77
900mm Glass Panel**	1981	G8-090	274.94	G10-090	238.74
1000mm Glass Panel**	1981	G8-100	299.43	G10-100	359.22
1100mm Glass Panel**	1981	G8-110	323.21	G10-110	388.88
1200mm Glass Panel**	1981	G8-120	347.07	G10-120	418.62
1400mm Glass Panel**	1981	G8-140	405.47	-	-

AllClear® coating on both sides of the glass panels.

Sizes shown are nominal.

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width. Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.

RECESSED WALL & FLOOR PROFILES

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Recessed U Profile 8mm Glass	2000	RW8*	60.86	62.03	68.23
Recessed U Profile 10mm Glass	2000	RW10*	60.86	62.03	68.23

Zero in wall out of plumb vertical adjustment.

Glass is embedded into the recessed vertical profile, which reduces glass width by 20mm on stated widths. When used as a floor profile in a tiled wetroom, glass height will reduce by 10mm on stated height.

Designed for silicone fit glass to vertical or horizontal profile. Hinged and fixed deflectors cannot be used when installing horizontal U recessed profiles.

BRACING BAR OPTIONS

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Panel Bracing Bar	1200	BB1*	52.58	53.59	62.41
Front/Side Panel Bracing Bar	1200	BB2*	56.75	57.84	64.00
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bracing Bar	600	G2CB*	57.67	58.78	73.08
Ceiling Bracket for G2CB	-	2CB*	22.65	23.09	32.04

BB1 and BB2 supplied complete with glass clamp, wall bracket and T join for side panel installations. Bracing bars can be cut to size on site. Angled bracing bar is supplied complete with glass clamp and wall bracket.

Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.

Angled bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.


Glass to ceiling bracing bar requires decorative ceiling cover 2CB.

Glass to Ceiling Bracing Bar suitable for panels up to 1000mm wide and can be cut to height on site.

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S)

BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)

BRUSHED
NICKEL (N)

GUN METAL
(GUN)

BRUSHED
BRONZE (BRZ)

BATH SCREENS

Where a bathroom features a walk-in showering space and bath requiring a bath screen to match, Lakes has the ideal solution. Carefully crafted and superbly engineered our hinged and fixed bath screen options are the perfect partner to your walk-in shower area.

Our bath screens feature the same stunning styling and are available in our 6 wonderful finishes to ensure colours are the same.

Completely frameless to introduce a contemporary uncluttered look for any bathroom project, we have placed particular emphasis on blending great visual styling with outstanding performance.



8mm TWIN PANEL HINGED

Where your bathroom includes a walk-in shower and a bath that requires screen to match, or the only one showering possibility in your home and is over a bath Lakes has the ideal solution.

Super smooth hinged rotation and clear seals to keep the water in.

FEATURES:

Height 1500mm
8mm Safety Toughened Glass EN12150-1
UKCA and EN Approved to BS EN 14428:2015+A1:2018
Frameless
AllClear® easy clean glass both sides
Anodised profile and PVD hardware
10mm adjustment

Wall profile cover caps as standard
Lifetime warranty
Fully reversible
90° outward door rotation
6 colour finishes
Effortless installation



TWIN PANEL HINGED BATH SCREEN


Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Twin Panel Hinged Bath Screen	1500	1000	MWB*	595.00	666.40	702.10

Supplied complete with wall profile cover cap
Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option: Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES




SILVER (S) BLACK (B)

COLOURS



BRUSHED BRASS (BRS) BRUSHED NICKEL (N) GUN METAL (GUN) BRUSHED BRONZE (BRZ)



Moving panel seals must be fitted as detailed left.



8mm FIXED SINGLE PANEL

The best designs are simple. Lakes' 8mm fixed bath screens provide uncluttered and keep the shower water inside the bath.

FEATURES:

Height 1500mm
8mm Safety Toughened Glass EN12150-1
UKCA and EN Approved to BS EN 14428:2015+A1:2018
Frameless
AllClear® easy clean glass both sides
Anodised profile
10mm adjustment

Wall profile cover caps as standard
Lifetime warranty
Fully reversible
6 colour finishes
Effortless installation



FIXED SINGLE PANEL BATH SCREEN

Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Fixed Single Panel Bath Screen	1500	800	MWB90-080*	250.00	287.50	295.00
Supplied complete with wall profile cover cap An optional wall to glass bracing bar can be ordered please see below. Bathscreens are a water deflector only.						
Optional Wall to Glass Bracing Bar MWB90-080*	-	-	MWBS-BA*	47.27	65.15	82.85


FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option: Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S) BLACK (B)




COLOURS



BRUSHED BRASS (BRS) BRUSHED NICKEL (N) GUN METAL (GUN) BRUSHED BRONZE (BRZ)




SILVER (S)




BLACK (B)



BRUSHED BRASS (BRS)



BRUSHED NICKEL (N)



GUN METAL (GUN)



BRUSHED BRONZE (BRZ)



STONE TEXTURE SHOWER TRAYS

Each of Lakes' stone textured shower trays are stunning and distinctive, with veins and character that pay tribute to natural materials and showcase Lakes' skilled craftsmanship. Not just aesthetically pleasing, they are created to be felt and enjoyed, while meeting the high demands of a modern showering space.

The surface is designed to offer a unique sensory underfoot experience - soft, warm and slip resistant – while the surface pattern eliminates the risk of water puddling.

Choose from timeless signal white or super matt finish anthracite to transform the shower area and complement wall and floor themes of any design.

FEATURES:

- Produced from recycled Dolomite stone
- 72% Dolomite mineral and 28% resin
- 29mm slimline height
- Fully recyclable
- Exceptional resistance to wear and impact
- Stain and chemical resistant
- Integral anti-bacterial hygiene properties
- 90mm Ø waste
- Can be trimmed on site
- 10-year guarantee
- Easy cleaning

Thermal insulation properties

25% lighter than standard stone resin trays, typically 36kg / m²

All trays comply to BS EN14527:2006 Class 1

Slip Resistant to Class 3 UNE ENV 12633:2003


Slip Resistant to Class 3 BS EN 16165 ANNEX C

Install on floor or level to floor

Suitable for marine ply boarded or concrete floors

Supplied with colour matched stainless steel waste grate

10
YEARS




STONE TEXTURE SHOWER TRAYS

SQUARE TRAYS



Size w x l mm	Weight kgs	Waste Position mm	Code	Price Incl. VAT £ WHITE (W)*	Price Incl. VAT £ ANTHRACITE (A)*
900 x 900	29	450	PTS99	499.80	499.80



RECTANGULAR TRAYS



Size w x l mm	Weight kgs	Waste Position X mm	Code	Price Incl. VAT £ WHITE (W)*	Price Incl. VAT £ ANTHRACITE (A)*
700 x 1700	42	450	PTR177	719.95	719.95
800 x 1200	34	250	PTR128	562.70	562.70
800 x 1400	40	350	PTR148	625.60	625.60
800 x 1500	43	350	PTR158	661.30	661.30
800 x 1600	46	450	PTR168	706.35	706.35
800 x 1700	49	450	PTR178	775.20	775.20
900 x 1200	39	250	PTR129	631.55	631.55
900 x 1400	45	350	PTR149	687.65	687.65
900 x 1500	48	350	PTR159	841.50	841.50
900 x 1600	52	450	PTR169	912.05	912.05
900 x 1700	55	450	PTR179	941.80	941.80



A stainless steel grate colour matched to the tray is supplied as standard.

SHOWER TRAY WASTE



Description	Code	Price Incl. VAT £
90mm Ø High Flow Waste	PTWASTE	35.00


Waste conforms to BS EN 274 and has 50mm water seal and removable debris trap.
Shower Waste G11/2". Flow Rate 30Ltrs p/m.

WASTE FINISH OPTIONS

* Please add the following codes to the end of product code when ordering a colour option:
White (W) or Anthracite (A). Example 1200 x 800 tray, White PTR128W, Anthracite PTR128A.



WHITE (W)



ANTHRACITE (A)


SHOWER TRAY WASTE POSITIONS

Measuring a space for a shower tray:


The tray waste positions below are provided as a guide only for first fix plumbing of the tray. Please take into consideration wall tiles or wall panels when specifying the tray size.

Dimensional tolerance +/-5mm wxl up to 1400; +/-7mm over 1400

SQUARE TRAYS



RECTANGULAR TRAYS



CLEANING & MAINTENANCE

We recommend cleaning stone effect shower trays regularly with clean warm soapy water ONLY, rinse and wipe over with a soft cloth or sponge.

DO NOT USE abrasive, scouring, caustic or corrosive cleaning products.

To remove limescale deposits use a 50:50 solution of white vinegar and water. Rinse thoroughly after application.



STONE RESIN SHOWER TRAYS

Superbly engineered and produced in the UK to the most exacting standards, this shower tray boasts a modern, minimalist low-profile form with a truly comfortable standing area.

It offers exceptional water drainage and a fresh, uncomplicated look, specifically designed to be the perfect partner for the Lakes Modular Walk-in shower collection.

FEATURES:

Slender low height 25mm profile	Suitable for marine ply boarded or concrete floor
Double skinned, crisp white acrylic ABS capped finish, for incredible strength and rigidity.	Can be fitted flat to floor or with easy fit riser kit options
Super strong and rigid	Integral anti-bacterial hygiene properties
50mm height on outer edge	Stain and chemical resistant
50mm Ø waste outlet	60mm Ø waste sold separately
30% lighter than standard resin trays	10-year manufacturer's guarantee
Super white finish	

All trays comply to BS EN14527:2006 Class 1/BS EN15720:2009



SQUARE TRAY



Size w x l mm	Code	Price Incl. VAT £ WHITE
900 x 900	TL9SW	344.59


RECTANGULAR TRAYS




Size w x l mm	Code	Price Incl. VAT £ WHITE
800 x 1200	TL12RW	37796
800 x 1400	TL14RW	564.02
800 x 1500	TL15RW	584.96
800 x 1600	TL16RW	602.56
800 x 1700	TL17RW	626.20
900 x 1200	TL12RW	396.58
900 x 1400	TL14RW	587.98
900 x 1500	TL15RW	608.87
900 x 1600	TL16RW	626.20
900 x 1700	TL17RW	649.79

A stainless steel grate colour matched to the tray is required, order separately, please see below.

SQUARE TRAYS



RECTANGULAR TRAYS



WASTE COVER

Description	Code	Price Incl. VAT £ WHITE
800mm Tray Waste Cover	TLW8W	102.18
900mm Tray Waste Cover	TLW9W	114.66

SHOWER TRAY WASTE



Description	Code	Price Incl. VAT £
50mm Ø High Flow Waste	TLW	19.62
Waste conforms to BS EN 274 and has 50mm water seal and removable debris trap. Shower Waste G11/2". Flow Rate 29Ltrs p/m. Higher/pumped water pressure showers/deluge shower heads can result in water flow that exceeds the wastes flow capacity. Please check with your installer.		

MWI® 8MM WALK-IN PANEL COMPLETE KITS

To assist in ordering some of our more popular walk-in configurations we have developed a simple **One Code** system for Lakes 8mm walk-in panels.

Each code includes a WPS* standard wall profile with 20mm adjustment, and for selected sizes the BB2* glass to wall bracing bar. Simply choose your preferred panel size and colour as detailed right.



270° FULL HINGED DEFLECTOR COLOUR-MATCHED TO PERFECTION

If the added luxury of a 270° rotating hinged deflector panel is required, simply choose your ideal colour as detailed right.



BRACING BAR OPTIONS CUSTOM STYLE FOR YOUR INSTALLATION

Lakes' extensive collection of bracing bars allows you to upgrade depending on your chosen layout or installation type.



ANGLED BRACING BAR (AB)

MWI® 8MM WALK IN PANEL COMPLETE KITS

Width mm	Adjustment mm	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
200	200-220	1990	MWP820*	179.05	180.35	187.24
300	300-320	1990	MWP830*	203.52	204.82	211.70
400	400-420	1990	MWP840*	226.91	228.20	235.09
500	500-520	1990	MWP850*	253.48	254.77	261.66
600	600-620	1990	MWP860*	279.70	280.99	287.88
700**	660-680	1990	MWP870*	346.93	349.24	364.94
750**	710-730	1990	MWP875*	346.93	349.24	364.94
800**	760-780	1990	MWP880*	370.79	373.09	388.80
900**	860-880	1990	MWP890*	395.14	397.44	413.15
1000**	960-980	1990	MWP8100*	419.63	421.93	437.64
1100**	1060-1080	1990	MWP8110*	443.41	445.72	461.42
1200**	1160-1180	1990	MWP8120*	467.27	469.57	485.28
1400**	1360-1380	1990	MWP8140*	525.67	527.98	543.68

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.

200mm - 600mm wide order codes comprise glass panel and standard wall profile WPS*

700mm - 1400mm wide order codes comprise glass panel, standard wall profile WPS* and bracing bar BB1*

Bracing bar BB1 is supplied complete with T piece for side panel installation

270° FULL HINGED DEFLECTOR OPTIONS

Description	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Full Height Hinge Deflector Assembly 8mm	300	BY8-3*	248.71	253.50	278.85

CORNER JOINING OPTIONS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Corner Post 8mm	2000	CP8*	62.82	64.03	70.70

BRACING BAR OPTIONS

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bracing Bar	600	G2CB*	57.67	58.78	73.08
Floor to Ceiling Post 8mm	2600	F2C8*	98.96	100.85	117.01
Ceiling Bracket for G2CB	-	2CB*	22.65	23.09	32.04
Optional Foot Kit (for Fixed Deflector)		FTK*	23.06	23.51	33.87

Angled bracing bar is supplied complete with glass clamp and wall bracket. Bracing bar can be cut to size on site.

Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.

Angled bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.

Glass to ceiling bracing bar requires decorative ceiling cover 2CB.

Glass to Ceiling Bracing Bar suitable for panels up to 1000mm wide and can be cut to height on site.

Foot Kit recommended when fixed deflector glass is over tray recess

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)


MONOCHROMES



SILVER (S)

BLACK (B)

COLOURS



BRUSHED BRASS (BRS)

BRUSHED NICKEL (N)

GUN METAL (GUN)

BRUSHED BRONZE (BRZ)

MWI® 10MM WALK-IN PANEL COMPLETE KITS

To assist in ordering some of our more popular walk-in configurations we have developed a simple **One Code** system for all Lakes 10mm walk-in panels.

Each code includes a WPS* standard wall profile with 20mm adjustment, and for selected sizes the BB2* glass to wall bracing bar. Simply choose your preferred panel size and colour as detailed right.



270° FULL HINGED DEFLECTOR COLOUR-MATCHED TO PERFECTION

If the added luxury of a 270° rotating hinged deflector panel is required, simply choose your ideal colour as detailed right.



BRACING BAR OPTIONS CUSTOM STYLE FOR YOUR INSTALLATION

Lakes' extensive collection of bracing bars allows you to upgrade depending on your chosen layout or installation type.



MWI® 10MM WALK IN PANEL COMPLETE KITS

Width mm	Adjustment mm	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
200	200-220	1990	MWP1020*	192.43	193.73	200.62
300	300-320	1990	MWP1030*	219.83	221.12	228.01
400	400-420	1990	MWP1040*	246.02	247.32	254.21
500	500-520	1990	MWP1050*	285.79	287.09	293.98
600	600-620	1990	MWP1060*	317.98	319.27	326.16
700**	660-680	1990	MWP1070*	389.03	391.33	407.04
750**	710-730	1990	MWP1075*	389.03	391.33	407.04
800**	760-780	1990	MWP1080*	421.97	424.27	439.98
900**	860-880	1990	MWP1090*	448.94	451.25	466.96
1000**	960-980	1990	MWP10100*	479.42	481.73	497.44
1100**	1060-1080	1990	MWP10110*	509.09	511.39	527.10
1200**	1160-1180	1990	MWP10120*	538.82	541.13	556.84

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk-in panels can be fitted to tiled floors or most standard shower trays.

200mm - 600mm wide order codes comprise glass panel and standard wall profile WPS*

700mm - 1400mm wide order codes comprise glass panel, standard wall profile WPS* and bracing bar BB1*

Bracing bar BB1 is supplied complete with T piece for side panel installation

270° FULL HINGED DEFLECTOR OPTIONS

Description	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Full Height Hinge Deflector Assembly 10mm	300	BY10-3*	259.82	264.82	291.31

CORNER JOINING OPTIONS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Corner Post 10mm	2000	CP10*	66.66	67.95	74.93

BRACING BAR OPTIONS

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bracing Bar	600	G2CB*	57.67	58.78	73.08
Ceiling Bracket for G2CB	-	2CB*	22.65	23.09	32.04
Optional Foot Kit (for Fixed Deflector)		FTK*	23.06	23.51	33.87

Angled bracing bar is supplied complete with glass clamp and wall bracket. Bracing bar can be cut to size on site.

Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.

Angled bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.

Glass to ceiling bracing bar requires decorative ceiling cover 2CB.


Glass to Ceiling Bracing Bar suitable for panels up to 1000mm wide and can be cut to height on site.

Foot Kit recommended when fixed deflector glass is over tray recess

FINISH OPTIONS


* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S) BLACK (B)

COLOURS



BRUSHED BRASS (BRS) BRUSHED NICKEL (N) GUN METAL (GUN) BRUSHED BRONZE (BRZ)

PRODUCT CARE

To maintain your guarantee, we recommend cleaning as below:

- Glass: Only use a soft cloth and mild detergent, rinse off thoroughly after cleaning.
- Metal and metallic surfaces: Use only a soft cloth and warm soapy water. Rinse off thoroughly.
- In hard water areas, regular cleaning of your Lakes product will help to prevent the build-up of limescale.
- Limescale can be removed using a 50:50 solution of white vinegar and water.
- Check your shower door for functionality periodically.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product.
- Do NOT use cleaning products, bleaches, solvents or abrasive pads.
- Non-compliance with these cleaning instructions will invalidate the product's Lifetime Guarantee and may cause plated / painted / anodised surfaces/finishes to deteriorate and could adversely affect safe operation of the enclosure.



AFTER SALES COMMITMENT

At Lakes we are passionate about providing the very best customer service. Lakes' excellent customer service is supported by an extensive stock of spare parts across all ranges.

Call our dedicated customer service team on **01684 853870** who will deal with your enquiry and will swiftly dispatch your spares order. Alternatively email customerservice@lakesuk.com or head to our website and complete our enquiry form www.lakesuk.com/contact-us

SPARE PARTS

We have a team of technical experts who can deal with and offer advice on any queries you may have and arrange dispatch of spare parts within 3-5 working days. Call us on **01684 853870**.

WHAT TO DO IF SOMETHING GOES WRONG

Should the product not function correctly on initial use, firstly, contact the installer to check the installation is in accordance with your installation instructions. Should this not resolve difficulties or should performance decline, refer to the 'Troubleshooting' section within the installation guide.

Alternatively, our customer service team can assist or, if necessary, arrange for a service engineer to visit. Please call **01684 853870**, email customerservice@lakesuk.com or head to our website and complete our enquiry form: www.lakesuk.com/contact-us

RETURNS POLICY

Lakes' will not accept return of any product no longer required that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return subject to agreed returns charges, but no longer than 3 months from date of original delivery.

As part of Lakes continuing policy of product improvement, we reserve the right to amend specifications, colours and prices and discontinue products without prior notice.

Images, room layouts and associated bathroom products are for marketing and visual purposes only. The colours and finishes shown in the catalogues are as accurate the printing process permits.

*Errors and Omissions Exempt.

LAKES GUARANTEE



Walk-in panels and are covered by our **Lifetime guarantee** against manufacturing defect.



Shower trays are covered by a **10-year guarantee** against manufacturing defect.

Both guarantees are valid on condition that the products have been installed and maintained in accordance with the product's fitting instructions provided and used as intended. Damage or defects resulting from modification and or repair by unauthorised persons, improper use or ex-display products are not covered. Lakes will resolve any defects resulting from manufacturing fault free of charge via repair or replacing parts. This must be only conducted by Lakes Bathrooms or an approved agent.

Please retain your proof of purchase to validate your guarantee. If your product becomes defective call us on **01684 853870** or email: customerservice@lakesuk.com

ALLCLEAR®

Lakes Glass has been developed to ensure a crystal clear, smear-free, showering space. Our glass includes AllClear®, nano-bonded coating treatment, which is applied to both sides of the glass, meaning water, limescale and soap scum slide off the glass rather than sticking to it.

It stays clear and clean and comes as standard at no extra cost. Lakes Glass with AllClear® is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.

INSTALLATION

Prior to installing your Lakes product, please read the installation guide in full. Failure to do so may invalidate your guarantee.

Shower trays must be plumbed and level, walls should be tiled or paneled down to the tray and sealed before doors are fitted. Check tray height before installation as there are manufacturing tolerances that must be allowed for.

When considering a new bath screen and bath installation, or adding a bath screen to an existing bathtub, the following checks must be made:

The bath rim should be essentially flat in form where the screen is located.

Baths with integrated soap dishes, 'roll top' bath style design and uneven bath rim types are not compatible with bath screens, and may cause water leaks.

Any bath handle grips included with a bath should not interfere with bath rim/bath screen.

When choosing your bath screen, check that any moving panel(s) whether inward or outward opening will not interfere with brassware, furniture or accessories in operation (taps/shower heads, basins, WCs, radiators etc).

It is recommended that the shower head position is centrally fitted on the same wall as the bath screen.

Bath rims must angle down toward the bath area to ensure that water landing on the rim drains into the bath. It is essential to check across rims, including corners using a small spirit level or a small amount of water to assess fall direction. Bathtubs exhibiting outward fall are not compatible.

Baths must be fully supported with timber battens/ support framing under the rim. Inadequate support can cause rim to drop/create outward fall.

LAKES QUALITY GUARANTEED

We have created this product information section to assist with your purchase and to provide useful information once your Lakes shower enclosure is installed.

For further information please visit: www.lakesuk.com

All Lakes shower enclosures, shower trays & bath screens are manufactured to the highest standards according to ISO 9001: 2015 Quality Management System.


All Lakes shower enclosures & bath screens are UKCA (& CE) marked, tested & conform with BS EN14428:2015+A1:2018. All glass used in construction is thermally toughened & marked according to EN12150-1.

Lakes regularly tests above and beyond required standards to ensure the ultimate product quality and performance.

Lakes shower trays comply to BS EN14527:2006 Class 1/ BS EN15720:2009. Shower wastes are manufactured to BS EN 274-1: 2002



PLAN YOUR OWN PERSONAL SHOWERING SPACE





LAKES

Alexandra Way, Ashchurch, Tewkesbury,
Gloucestershire GL20 8NB

T: 01684 853870

info@lakesuk.com

SPECIFICATIONS CONTACTS:

projects@lakesuk.com

lakesuk.com

